

Filaggrin (FLG) Recombinant Protein | FLG recombinant protein

Recombinant Human Filaggrin (FLG), partial

CATALOG # AAA18523	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
------------------------------	---


PRODUCT SYNONYMS

Filaggrin (FLG); Recombinant Human Filaggrin (FLG); partial; FLG recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	3838-4061aa; partial
Sequence	DSSRHSQSGQ GESAGSRRSR RQGSSVSQDS DSEAYPEDSE RRSESASRNH HGSSREQSRD GSRHPGSSHR DTASHVQSSP VQSDSSTAKE HGHFSSLSQD SAYHSGIQSR GSPHSSSSYH YQSEGTERQK GQSGLVWRHG SYGSADYDYG ESGFRHSQHG SVSYNSNPVV FKERSDICKA SAFGKDHPRY YATYINKDPG LCGHSSDISK QLGFSQSQRY YYYY
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for FLG recombinant protein	Aggregates keratin intermediate filaments and promotes disulfide-bond formation among the intermediate filaments during terminal differentiation of mammalian epidermis.
Product Categories/Family for FLG recombinant protein	Signal Transduction

References

The DNA sequence and biological annotation of human chromosome 1.Gregory S.G., Barlow K.F., McLay K.E., Kaul R., Swarbreck D., Dunham A., Scott C.E., Howe K.L., Woodfine K., Spencer C.C.A., Jones M.C., Gillson C., Searle S., Zhou Y., Kokocinski F., McDonald L., Evans R., Phillips K., Atkinson A., Cooper R., Jones C., Hall R.E., Andrews T.D., Lloyd C., Ainscough R., Almeida J.P., Ambrose K.D., Anderson F., Andrew R.W., Ashwell R.I.S., Aubin K., Babbage A.K., Bagguley C.L., Bailey J., Beasley H., Bethel G., Bird C.P., Bray-Allen S., Brown J.Y., Brown A.J., Buckley D., Burton J., Bye J., Carder C., Chapman J.C., Clark S.Y., Clarke G., Clee C., Cobley V., Collier R.E., Corby N., Coville G.J., Davies J., Deadman R., Dunn M., Earthrowl M., Ellington A.G., Errington H., Frankish A., Frankland J., French L., Garner P., Garnett J., Gay L., Ghorl M.R.J., Gibson R., Gilby L.M., Gillett W., Glithero R.J., Grafham D.V., Griffiths C., Griffiths-Jones S., Grocock R., Hammond S., Harrison E.S.I., Hart E., Haugen E., Heath P.D., Holmes S., Holt K., Howden P.J., Hunt A.R., Hunt S.E., Hunter G., Isherwood J., James R., Johnson C., Johnson D., Joy A., Kay M., Kershaw J.K., Kibukawa M., Kimberley A.M., King A., Knights A.J., Lad H., Laird G., Lawlor S., Leongamornlert D.A., Lloyd D.M., Loveland J., Lovell J., Lush M.J., Lyne R., Martin S., Mashreghi-Mohammadi M., Matthews L., Matthews N.S.W., McLaren S., Milne S., Mistry S., Moore M.J.F., Nickerson T., O'Dell C.N., Oliver K., Palmeiri A., Palmer S.A., Parker A., Patel D., Pearce A.V., Peck A.I., Pelan S., Phelps K., Phillimore B.J., Plumb R., Rajan J., Raymond C., Rouse G., Saenphimmachak C., Sehra H.K., Sheridan E., Shownkeen R., Sims S., Skuce C.D., Smith M., Steward C., Subramanian S., Sycamore N., Tracey A., Tromans A., Van Helmond Z., Wall M., Wallis J.M., White S., Whitehead S.L., Wilkinson J.E., Willey D.L., Williams H., Wilming L., Wray P.W., Wu Z., Coulson A., Vaudin M., Sulston J.E., Durbin R.M., Hubbard T., Wooster R., Dunham I., Carter N.P., McVean G., Ross M.T., Harrow J., Olson M.V., Beck S., Rogers J., Bentley D.R.Nature 441:315-321(2006) Characterization of the human epidermal profilaggrin gene. Genomic organization and identification of an S-100-like calcium binding domain at the amino terminus.Presland R.B., Haydock P.V., Fleckman P., Nirunsuksiri W., Dale B.A.J. Biol. Chem. 267:23772-23781(1992) Characterization of a cDNA clone encoding human filaggrin and localization of the gene to chromosome region 1q21.McKinley-Grant L.J., Idler W.W., Bernstein I.A., Parry D.A.D., Cannizzaro L., Croce C.M., Huebner K., Lessin S.R., Steinert P.M.Proc. Natl. Acad. Sci. U.S.A. 86:4848-4852(1989) Identification of the amino terminus of human filaggrin using differential LC/MS techniques implications for profilaggrin processing.Thulin C.D., Walsh K.A.Biochemistry 34:8687-8692(1995) Preferential deimination of keratin K1 and filaggrin during the terminal differentiation of human epidermis.Senshu T., Kan S., Ogawa H., Manabe M., Asaga H.Biochem. Biophys. Res. Commun. 225:712-719(1996) Loss-of-function variations within the filaggrin gene predispose for atopic dermatitis with allergic sensitizations.Weidinger S., Illig T., Baurecht H., Irvine A.D., Rodriguez E., Diaz-Lacava A., Klopp N., Wagenpfeil S., Zhao Y., Liao H., Lee S.P., Palmer C.N.A., Jenneck C., Maintz L., Hagemann T., Behrendt H., Ring J., Nothen M.M., McLean W.H.I., Novak N.J. Allergy Clin. Immunol. 118:214-219(2006) Filaggrin loss-of-function mutations predispose to phenotypes involved in the atopic march.Marenholz I., Nickel R., Rueschendorf F., Schulz F., Esparza-Gordillo J., Kerscher T., Grueber C., Lau S., Worm M., Keil T., Kurek M., Zaluga E., Wahn U., Lee Y.-A.J. Allergy Clin. Immunol. 118:866-871(2006) Loss-of-function mutations in the gene encoding filaggrin cause ichthyosis vulgaris.Smith F.J.D., Irvine A.D., Terron-Kwiatkowski A., Sandilands A., Campbell L.E., Zhao Y., Liao H., Evans A.T., Goudie D.R., Lewis-Jones S., Arseculeratne G., Munro C.S., Sergeant A., O'Regan G., Bale S.J., Compton J.G., DiGiovanna J.J., Presland R.B., Fleckman P., McLean W.H.I.Nat. Genet. 38:337-342(2006) Common loss-of-function variants of the epidermal barrier protein filaggrin are a major predisposing factor for atopic dermatitis.Palmer C.N.A., Irvine A.D., Terron-Kwiatkowski A., Zhao Y., Liao H., Lee S.P., Goudie D.R., Sandilands A., Campbell L.E., Smith F.J.D., O'Regan G.M., Watson R.M., Cecil J.E., Bale S.J., Compton J.G., DiGiovanna J.J., Fleckman P., Lewis-Jones S., Arseculeratne G., Sergeant A., Munro C.S., El Houate B., McElreavey K., Halkjaer L.B., Bisgaard H., Mukhopadhyay S., McLean W.H.I.Nat. Genet. 38:441-446(2006) Unique mutations in the filaggrin gene in Japanese patients with ichthyosis vulgaris and atopic dermatitis.Nomura T., Sandilands A., Akiyama M., Liao H., Evans A.T., Sakai K., Ota M., Sugiura H., Yamamoto K., Sato H., Palmer C.N.A., Smith F.J.D., McLean W.H.I., Shimizu H.J. Allergy Clin. Immunol. 119:434-440(2007) An enzyme assisted RP-RPLC approach for in-depth analysis of human liver phosphoproteome.Bian Y., Song C., Cheng K., Dong M., Wang F., Huang J., Sun D., Wang L., Ye M., Zou H.J. Proteomics 96:253-262(2014)

NCBI AND UNIPROT INFORMATION

NCBI GI #	60097902
NCBI GeneID	2312
NCBI Accession #	NP_002007.1
NCBI GenBank Nucleotide #	NM_002016.1
UniProt Accession #	P20930; Q01720; Q5T583; Q9UC71
Molecular Weight	26.8 kDa
NCBI Official Full Name	filaggrin

NCBI Official Synonym Full Names	filaggrin
NCBI Official Symbol	FLG
NCBI Official Synonym Symbols	ATOD2
NCBI Protein Information	filaggrin
UniProt Protein Name	Filaggrin
UniProt Gene Name	FLG
UniProt Entry Name	FILA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/flg-recombinant-protein-e-coli-or-yeast-or-baculovirus-or-mammalian-cell/18523>