

Rabbit Aggrecan (AGC) ELISA Kit | AGC elisa kit

Rabbit Aggrecan (AGC) ELISA Kit

CATALOG #
AAA185233

REACTIVITY
Rabbit


PRODUCT SYNONYMS

Aggrecan (AGC); Rabbit Aggrecan (AGC) ELISA Kit; ACAN; AGC1; AGCAN; CSPG1; CSPCP; CSPGCP; MSK16; SEDK; Cartilage-specific proteoglycan core protein; Large Aggregating Proteoglycan; Chondroitin Sulfate Proteoglycan 1; AGC elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Specificity	This assay has high sensitivity and excellent specificity for detection of Aggrecan (AGC). No significant cross-reactivity or interference between Aggrecan (AGC) and analogues was observed.
Sequence Length	2,316
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and Other Biological Fluids
Detection Range	0.625-40ng/mL
Sensitivity	< 0.224ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Aggrecan (AGC) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Aggrecan (AGC) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for AGC elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Aggrecan (AGC). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Aggrecan (AGC). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Aggrecan (AGC), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Aggrecan (AGC) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	22209083
NCBI GeneID	176
UniProt Accession #	P16112; Q13650; Q9UCD3; Q9UCP4; Q9UCP5; Q9UDE0
Molecular Weight	239,235 Da
NCBI Official Full Name	Aggrecan
NCBI Official Synonym Full Names	aggrecan
NCBI Official Symbol	ACAN
NCBI Official Synonym Symbols	AGC1; SEDK; AGCAN; CSPG1; MSK16; CSPGCP; SSOAOD
NCBI Protein Information	aggrecan core protein
UniProt Protein Name	Aggrecan core protein
UniProt Gene Name	ACAN
UniProt Synonym Gene Names	AGC1; CSPG1; MSK16; CSPCP; Chondroitin sulfate proteoglycan 1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.