

Human Chordin (CHRD) ELISA Kit | CHRD elisa kit

Human Chordin (CHRD) ELISA Kit

CATALOG #
AAA185532

REACTIVITY
Human


PRODUCT SYNONYMS

Chordin (CHRD); Human Chordin (CHRD) ELISA Kit; CHRD elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Chordin (CHRD). No significant cross-reactivity or interference between Chordin (CHRD) and analogues was observed.
Sequence Length	915
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.115ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Chordin (CHRD) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Chordin (CHRD) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CHRDisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Chordin (CHRD). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Chordin (CHRD). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Chordin (CHRD), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Chordin (CHRD) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	751247033
NCBI GeneID	8646
NCBI Accession #	NP_001291401.1
NCBI GenBank Nucleotide #	NM_001304472.1
UniProt Accession #	Q9H2X0; O95254; Q2M1I8; Q6UW83; Q9H2D3; Q9H2W8; Q9H2W9; Q9P0Z2; Q9P0Z3; Q9P0Z4; Q9P0Z5
Molecular Weight	97,731 Da
NCBI Official Full Name	chordin isoform 2
NCBI Official Synonym Full Names	chordin
NCBI Official Symbol	CHRD
NCBI Protein Information	chordin
UniProt Protein Name	Chordin
UniProt Gene Name	CHRD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.