

Human Junction Plakoglobin (JUP) ELISA Kit | JUP elisa kit

Human Junction Plakoglobin (JUP) ELISA Kit

CATALOG #
AAA185586

REACTIVITY
Human


PRODUCT SYNONYMS

Junction Plakoglobin (JUP); Human Junction Plakoglobin (JUP) ELISA Kit; DP3; gCat; G-Cat; CTNNG; DP11; PDGB; PKGB; Gamma Catenin; Desmoplakin III; Desmoplakin-3; JUP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Junction Plakoglobin (JUP). No significant cross-reactivity or interference between Junction Plakoglobin (JUP) and analogues was observed.
Sequence Length	745
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.056ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Junction Plakoglobin (JUP) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Junction Plakoglobin (JUP) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for JUP elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Junction Plakoglobin (JUP). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Junction Plakoglobin (JUP). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Junction Plakoglobin (JUP), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Junction Plakoglobin (JUP) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	12056468
NCBI GeneID	3728
NCBI Accession #	NP_068831.1
NCBI GenBank Nucleotide #	NM_021991.3
UniProt Accession #	P14923; Q15093; Q15151; Q7L3S5; Q86W21; Q9BWC4; Q9HCX9
Molecular Weight	81,745 Da
NCBI Official Full Name	junction plakoglobin
NCBI Official Synonym Full Names	junction plakoglobin
NCBI Official Symbol	JUP
NCBI Official Synonym Symbols	DP3; PDGB; PKGB; CTNNG; DPIII
NCBI Protein Information	junction plakoglobin
UniProt Protein Name	Junction plakoglobin
UniProt Gene Name	JUP
UniProt Synonym Gene Names	CTNNG; DP3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.