

Human Bcl2 Antagonist/Killer 1 (BAK1) ELISA Kit | BAK1 elisa kit

Human Bcl2 Antagonist/Killer 1 (BAK1) ELISA Kit

CATALOG #
AAA185671

REACTIVITY
Human


PRODUCT SYNONYMS

Bcl2 Antagonist/Killer 1 (BAK1); Human Bcl2 Antagonist/Killer 1 (BAK1) ELISA Kit; BAK; BAK-LIKE; BCL2L7; CDN1; Bcl-2 Homologous Antagonist/Killer; Apoptosis regulator BAK; Bcl-2-like protein 7; BAK1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Bcl2 Antagonist/Killer 1 (BAK1). No significant cross-reactivity or interference between Bcl2 Antagonist/Killer 1 (BAK1) and analogues was observed.
Sequence Length	153
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.625-40ng/mL
Sensitivity	< 0.239ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Bcl2 Antagonist/Killer 1 (BAK1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Bcl2 Antagonist/Killer 1 (BAK1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for BAK1 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Bcl2 Antagonist/Killer 1 (BAK1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Bcl2 Antagonist/Killer 1 (BAK1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Bcl2 Antagonist/Killer 1 (BAK1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Bcl2 Antagonist/Killer 1 (BAK1) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502363
NCBI GeneID	578
NCBI Accession #	NP_001179.1
NCBI GenBank Nucleotide #	NM_001188.3
UniProt Accession #	Q16611; Q6I9T6; Q92533; C0H5Y7
Molecular Weight	16,872 Da
NCBI Official Full Name	bcl-2 homologous antagonist/killer
NCBI Official Synonym Full Names	BCL2 antagonist/killer 1
NCBI Official Symbol	BAK1
NCBI Official Synonym Symbols	BAK; CDN1; BCL2L7; BAK-LIKE
NCBI Protein Information	bcl-2 homologous antagonist/killer
UniProt Protein Name	Bcl-2 homologous antagonist/killer
UniProt Gene Name	BAK1
UniProt Synonym Gene Names	BAK; BCL2L7; CDN1; Bcl2-L-7

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/bcl2-antagonist-killer-1-bak1/185671>