

Mouse Midline 1 (MID1) ELISA Kit | MID1 elisa kit

Mouse Midline 1 (MID1) ELISA Kit

CATALOG #
AAA185844

REACTIVITY
Mouse


PRODUCT SYNONYMS

Midline 1 (MID1); Mouse Midline 1 (MID1) ELISA Kit; BBBG1; Midin; FXY; GBBB1; OGS1; OS; OSX; RNF59; TRIM18; XPRF; ZNFX1; Opitz/BBB Syndrome; RING finger protein 59; Tripartite motif-containing protein 18; MID1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Midline 1 (MID1). No significant cross-reactivity or interference between Midline 1 (MID1) and analogues was observed.
Sequence Length	552
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates and Other Biological Fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.052ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Midline 1 (MID1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Midline 1 (MID1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MID1 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Midline 1 (MID1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Midline 1 (MID1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Midline 1 (MID1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Midline 1 (MID1) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	11228709
NCBI GeneID	4281
UniProt Accession #	O15344; O75361; Q9BZX5; B2RCG2
Molecular Weight	62,288 Da
NCBI Official Full Name	midline 1
NCBI Official Synonym Full Names	midline 1
NCBI Official Symbol	MID1
NCBI Official Synonym Symbols	OS; FXY; OSX; OGS1; XPRF; BBBG1; GBBB1; MIDIN; RNF59; ZNFXY; TRIM18
NCBI Protein Information	E3 ubiquitin-protein ligase Midline-1
UniProt Protein Name	E3 ubiquitin-protein ligase Midline-1
UniProt Gene Name	MID1
UniProt Synonym Gene Names	FXY; RNF59; TRIM18; XPRF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/midline-1-mid1/185844>