

Mouse Odorant Binding Protein 2A (OBP2A) ELISA Kit | OBP2A elisa kit

Mouse Odorant Binding Protein 2A (OBP2A) ELISA Kit

CATALOG #
AAA185876

REACTIVITY
Mouse


PRODUCT SYNONYMS

Odorant Binding Protein 2A (OBP2A); Mouse Odorant Binding Protein 2A (OBP2A) ELISA Kit; OBP2-A; OBP; OBP2C; OBP1Ia; hOBP1Ia; OBP2A elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Odorant Binding Protein 2A (OBP2A). No significant cross-reactivity or interference between Odorant Binding Protein 2A (OBP2A) and analogues was observed.
Sequence Length	228
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates, Saliva and Other Biological Fluids
Detection Range	0.625-40ng/mL
Sensitivity	< 0.221ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Odorant Binding Protein 2A (OBP2A) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Odorant Binding Protein 2A (OBP2A) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for OBP2A elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Odorant Binding Protein 2A (OBP2A). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Odorant Binding Protein 2A (OBP2A). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Odorant Binding Protein 2A (OBP2A), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Odorant Binding Protein 2A (OBP2A) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	47479498
NCBI GeneID	29991
Molecular Weight	26,014 Da
NCBI Official Full Name	Odorant binding protein 2A
NCBI Official Synonym Full Names	odorant binding protein 2A
NCBI Official Symbol	OBP2A
NCBI Official Synonym Symbols	OBP; LCN13; OBP2C; OBPIIa; hOBPIIa
NCBI Protein Information	odorant-binding protein 2a
UniProt Protein Name	Odorant-binding protein 2a
UniProt Gene Name	OBP2A
UniProt Synonym Gene Names	OBPIIa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/odorant-binding-protein-2a-obp2a/185876>