

Rat Renalase (RNLS) ELISA Kit | RNLS elisa kit

Rat Renalase (RNLS) ELISA Kit

CATALOG #
AAA185956

REACTIVITY
Rat


PRODUCT SYNONYMS

Renalase (RNLS); Rat Renalase (RNLS) ELISA Kit; MAO-C; C10orf59; FAD-Dependent Amine Oxidase; Monoamine oxidase-C; alpha-NAD(P)H oxidase/anomerase; RNLS elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Renalase (RNLS). No significant cross-reactivity or interference between Renalase (RNLS) and analogues was observed.
Sequence Length	315
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and Other Biological Fluids
Detection Range	1.56-100ng/mL
Sensitivity	< 0.67ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Renalase (RNLS) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Renalase (RNLS) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for RNLS elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Renalase (RNLS). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Renalase (RNLS). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Renalase (RNLS), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Renalase (RNLS) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	237649117
NCBI GeneID	55328
NCBI Accession #	NP_001026879.2
NCBI GenBank Nucleotide #	NM_001031709.2
UniProt Accession #	Q5VYX0; Q9BS33; Q9NUP8
Molecular Weight	34,949 Da
NCBI Official Full Name	renalase isoform 1
NCBI Official Synonym Full Names	renalase, FAD dependent amine oxidase
NCBI Official Symbol	RNLS
NCBI Official Synonym Symbols	C10orf59; RENALASE
NCBI Protein Information	renalase
UniProt Protein Name	Renalase
UniProt Gene Name	RNLS
UniProt Synonym Gene Names	C10orf59; MAO-C

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rat-elisa-kits/renalase-rnls/185956>