

Rat Natriuretic Peptide Receptor 2 (NPR2) ELISA Kit | NPR2 elisa kit

Rat Natriuretic Peptide Receptor 2 (NPR2) ELISA Kit

CATALOG #
AAA186096

REACTIVITY
Rat


PRODUCT SYNONYMS

Natriuretic Peptide Receptor 2 (NPR2); Rat Natriuretic Peptide Receptor 2 (NPR2) ELISA Kit; AMDM; ANPRB; ANPb; NPRBi; NPR-B; GUCY2B; GUC2B; Guanylate Cyclase B; Atrial natriuretic peptide receptor type B; NPR2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Natriuretic Peptide Receptor 2 (NPR2). No significant cross-reactivity or interference between Natriuretic Peptide Receptor 2 (NPR2) and analogues was observed.
Sequence Length	418
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates and Other Biological Fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.056ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Natriuretic Peptide Receptor 2 (NPR2) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Natriuretic Peptide Receptor 2 (NPR2) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NPR2 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Natriuretic Peptide Receptor 2 (NPR2). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Natriuretic Peptide Receptor 2 (NPR2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Natriuretic Peptide Receptor 2 (NPR2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Natriuretic Peptide Receptor 2 (NPR2) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	148670509
NCBI GeneID	230103
UniProt Accession #	Q6V VW5; Q6V VW3; Q6V VW4; Q8CGA9; B1AWI8
Molecular Weight	46,443 Da
NCBI Official Full Name	natriuretic peptide receptor 2
NCBI Official Synonym Full Names	natriuretic peptide receptor 2
NCBI Official Symbol	Npr2
NCBI Official Synonym Symbols	cn; pwe; GC-B; GC-B2; GC-B3; mNPR-B
NCBI Protein Information	atrial natriuretic peptide receptor 2
UniProt Protein Name	Atrial natriuretic peptide receptor 2
UniProt Gene Name	Npr2
UniProt Synonym Gene Names	ANP-B; ANPR-B; NPR-B; GC-B

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.