

Human Apolipoprotein L2 (APOL2) ELISA Kit | APOL2 elisa kit

Human Apolipoprotein L2 (APOL2) ELISA Kit

CATALOG #
AAA186303

REACTIVITY
Human


PRODUCT SYNONYMS

Apolipoprotein L2 (APOL2); Human Apolipoprotein L2 (APOL2) ELISA Kit; Apo-L2; APOL-II; APOL2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of APOL2. No significant cross-reactivity or interference between APOL2 and analogues was observed.
Sequence Length	337
Samples	Human tissue homogenates, cell lysates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.062ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level APOL2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level APOL2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for APOL2 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to APOL2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to APOL2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain APOL2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of APOL2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	22035653
NCBI GeneID	23780
NCBI Accession #	NP_663612.1
NCBI GenBank Nucleotide #	NM_145637.1
UniProt Accession #	Q9BQE5; O95915; Q59GW9; Q5TH96; Q969T6; Q9BT28; Q9UGT1; Q9UH10; B0QYK7
Molecular Weight	37,092 Da
NCBI Official Full Name	apolipoprotein L2
NCBI Official Synonym Full Names	apolipoprotein L2
NCBI Official Symbol	APOL2
NCBI Official Synonym Symbols	APOL3; APOL-II
NCBI Protein Information	apolipoprotein L2
UniProt Protein Name	Apolipoprotein L2
UniProt Gene Name	APOL2
UniProt Synonym Gene Names	ApoL-II

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.