

Human Fucosyltransferase 2 (FUT2) ELISA Kit | FUT2 elisa kit

Human Fucosyltransferase 2 (FUT2) ELISA Kit

CATALOG #
AAA186757

REACTIVITY
Human


PRODUCT SYNONYMS

Fucosyltransferase 2 (FUT2); Human Fucosyltransferase 2 (FUT2) ELISA Kit; SE; Se2; Sej; Secretor Status Included; Galactoside 2-Alpha-L-Fucosyltransferase 2; Secretor blood group alpha-2-fucosyltransferase; Secretor factor; FUT2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of FUT2. No significant cross-reactivity or interference between FUT2 and analogues was observed.
Sequence Length	539
Samples	Human tissue homogenates, cell lysates and other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	< 0.122ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level FUT2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level FUT2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FUT2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of FUT2 in human tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to FUT2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to FUT2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain FUT2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of FUT2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	15227563
NCBI GeneID	814850
NCBI Accession #	NP_178420.1
NCBI GenBank Nucleotide #	NM_126372.1
UniProt Accession #	O81053; Q1PFA3
Molecular Weight	61,571 Da
NCBI Official Full Name	fucosyltransferase 2
NCBI Official Symbol	FUT2
NCBI Official Synonym Symbols	ATFUT2; fucosyltransferase 2; T18E12.12; T18E12_12
NCBI Protein Information	fucosyltransferase 2
UniProt Protein Name	Fucosyltransferase 2
UniProt Gene Name	FUT2
UniProt Synonym Gene Names	AtFUT2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/fucosyltransferase-2-fut2/186757>