

Human WNT1 Inducible Signaling Pathway Protein 2 (WISP2) ELISA Kit | WISP2 elisa kit

Human WNT1 Inducible Signaling Pathway Protein 2 (WISP2) ELISA Kit

CATALOG #
AAA187188

REACTIVITY
Human


PRODUCT SYNONYMS

WNT1 Inducible Signaling Pathway Protein 2 (WISP2); Human WNT1 Inducible Signaling Pathway Protein 2 (WISP2) ELISA Kit; CCN5; CT58; CTGF-L; CCN family member 5; Connective tissue growth factor-like protein; Connective tissue growth factor-related protein 58; WISP2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of WNT1 Inducible Signaling Pathway Protein 2 (WISP2). No significant cross-reactivity or interference between WNT1 Inducible Signaling Pathway Protein 2 (WISP2) and analogues was observed.
Sequence Length	218
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.117ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level WNT1 Inducible Signaling Pathway Protein 2 (WISP2) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level WNT1 Inducible Signaling Pathway Protein 2 (WISP2) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for WISP2 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to WNT1 Inducible Signaling Pathway Protein 2 (WISP2). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to WNT1 Inducible Signaling Pathway Protein 2 (WISP2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain WNT1 Inducible Signaling Pathway Protein 2 (WISP2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of WNT1 Inducible Signaling Pathway Protein 2 (WISP2) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507923
NCBI GeneID	8839
NCBI Accession #	NP_003872.1
NCBI GenBank Nucleotide #	NM_003881.3
UniProt Accession #	O76076; Q6PEG3; B2R9N4; E1P612
Molecular Weight	22,577 Da
NCBI Official Full Name	WNT1-inducible-signaling pathway protein 2 isoform 1
NCBI Official Synonym Full Names	WNT1 inducible signaling pathway protein 2
NCBI Official Symbol	WISP2
NCBI Official Synonym Symbols	CCN5; CT58; CTGF-L
NCBI Protein Information	WNT1-inducible-signaling pathway protein 2
UniProt Protein Name	WNT1-inducible-signaling pathway protein 2
UniProt Gene Name	WISP2
UniProt Synonym Gene Names	CCN5; CT58; CTGFL; WISP-2; CTGF-L

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/wnt1-inducible-signaling-pathway-protein-2-wisp2/187188>