

Stanniocalcin-1 Recombinant Protein | STC1 recombinant protein

Recombinant Human Stanniocalcin-1 protein

CATALOG # AAA18722	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
------------------------------	---


PRODUCT SYNONYMS

Stanniocalcin-1; Recombinant Human Stanniocalcin-1 protein; STC1 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	39-247aa; Partial
Sequence	SAEVRCLNS ALQVGCGAFA CLENSTCDTD GMYDICKSFL YSAKFDTQG KAFVKESLKC IANGVTSKVF LAIRRCSTFQ RMIAEVQEEC YSKLNVCSIA KRNPEAITEV VQLPNHFSNR YYNRLVRSLL ECD EDTVSTI RDSLMEKIGP NMASLFHILQ TDHCAQTHPR ADFNRRRTNE PQKLKVLLRN LRGEEDSPSH IKRTSHESA
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for STC1 recombinant protein	Stimulates renal phosphate reabsorption, and could therefore prevent hypercalcaemia.
Product Categories/Family for STC1 recombinant protein	Metabolism

References

A novel human cDNA highly homologous to the fish hormone stanniocalcin.Chang A.C.-M., Janosi J., Hulsbeek M., de Jong D., Jeffrey K.J., Noble J.R., Reddel R.R.Mol. Cell. Endocrinol. 112:241-247(1995) Human stanniocalcin a possible hormonal regulator of mineral metabolism.Olsen H.S., Cepeda M.A., Zhang Q.-Q., Rosen C.A., Vozzolo B.L., Wagner G.F.Proc. Natl. Acad. Sci. U.S.A. 93:1792-1796(1996) Characterization of the human stanniocalcin 1 gene.Jeffrey K.J., Reddel R.R.Complete sequencing and characterization of 21,243 full-length human cDNAs.Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiro T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S.Nat. Genet. 36:40-45(2004) DNA sequence and analysis of human chromosome 8.Nusbaum C., Mikkelsen T.S., Zody M.C., Asakawa S., Taudien S., Garber M., Kodira C.D., Schueler M.G., Shimizu A., Whittaker C.A., Chang J.L., Cuomo C.A., Dewar K., FitzGerald M.G., Yang X., Allen N.R., Anderson S., Asakawa T., Blechschmidt K., Bloom T., Borowsky M.L., Butler J., Cook A., Corum B., DeArellano K., DeCaprio D., Dooley K.T., Dorris L. III, Engels R., Gloeckner G., Hafez N., Hagopian D.S., Hall J.L., Ishikawa S.K., Jaffe D.B., Kamat A., Kudoh J., Lehmann R., Lokitsang T., Macdonald P., Major J.E., Matthews C.D., Mauceli E., Menzel U., Mihalev A.H., Minoshima S., Murayama Y., Naylor J.W., Nicol R., Nguyen C., O'Leary S.B., O'Neill K., Parker S.C.J., Polley A., Raymond C.K., Reichwald K., Rodriguez J., Sasaki T., Schilhabel M., Siddiqui R., Smith C.L., Sneddon T.P., Talamas J.A., Tenzin P., Topham K., Venkataraman V., Wen G., Yamazaki S., Young S.K., Zeng Q., Zimmer A.R., Rosenthal A., Birren B.W., Platzer M., Shimizu N., Lander E.S.Nature 439:331-335(2006) Comparative analysis of mammalian stanniocalcin genes.Varghese R., Wong C.K., Deol H., Wagner G.F., DiMattia G.E.Endocrinology 139:4714-4725(1998) Signal peptide prediction based on analysis of experimentally verified cleavage sites.Zhang Z., Henzel W.J.Protein Sci. 13:2819-2824(2004)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507265
NCBI GeneID	6781
NCBI Accession #	NP_003146.1
NCBI GenBank Nucleotide #	NM_003155.2
UniProt Accession #	P52823; Q71UE5; B4DN22
Molecular Weight	50.6 kDa
NCBI Official Full Name	stanniocalcin-1
NCBI Official Synonym Full Names	stanniocalcin 1
NCBI Official Symbol	STC1
NCBI Official Synonym Symbols	STC
NCBI Protein Information	stanniocalcin-1
UniProt Protein Name	Stanniocalcin-1
UniProt Gene Name	STC1
UniProt Synonym Gene Names	STC; STC-1
UniProt Entry Name	STC1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/stc1-recombinant-protein-e-coli-or-yeast-or-baculovirus-or-mammalian-cell/18722>