

Human Synaptotagmin VII (SYT7) ELISA Kit | SYT7 elisa kit

Human Synaptotagmin VII (SYT7) ELISA Kit

CATALOG #
AAA187235

REACTIVITY
Human


PRODUCT SYNONYMS

Synaptotagmin VII (SYT7); Human Synaptotagmin VII (SYT7) ELISA Kit; IPCA-7; PCANAP7; SYT-VII; Prostate Cancer Associated Protein 7; SYT7 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Synaptotagmin VII (SYT7). No significant cross-reactivity or interference between Synaptotagmin VII (SYT7) and analogues was observed.
Sequence Length	447
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.127ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Synaptotagmin VII (SYT7) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Synaptotagmin VII (SYT7) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SYT7 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Synaptotagmin VII (SYT7). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Synaptotagmin VII (SYT7). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Synaptotagmin VII (SYT7), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Synaptotagmin VII (SYT7) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	2724126
NCBI GeneID	9066
Molecular Weight	50,700 Da
NCBI Official Full Name	synaptotagmin VII, partial
NCBI Official Synonym Full Names	synaptotagmin 7
NCBI Official Symbol	SYT7
NCBI Official Synonym Symbols	IPCA7; IPCA-7; SYTVII; PCANAP7; SYT-VII
NCBI Protein Information	synaptotagmin-7
UniProt Protein Name	Synaptotagmin-7
UniProt Gene Name	SYT7
UniProt Synonym Gene Names	SytVII

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/synaptotagmin-vii-syt7/187235>