

Mouse IL2 Inducible T-Cell Kinase (ITK) ELISA Kit | ITK elisa kit

Mouse IL2 Inducible T-Cell Kinase (ITK) ELISA Kit

CATALOG #
AAA187375

REACTIVITY
Mouse


PRODUCT SYNONYMS

IL2 Inducible T-Cell Kinase (ITK); Mouse IL2 Inducible T-Cell Kinase (ITK) ELISA Kit; PSCTK2; EMT; LYK; T-cell-specific kinase; Tyrosine-protein kinase Lyk; ITK elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of IL2 Inducible T-Cell Kinase (ITK). No significant cross-reactivity or interference between IL2 Inducible T-Cell Kinase (ITK) and analogues was observed.
Sequence Length	620
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.119ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level IL2 Inducible T-Cell Kinase (ITK) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level IL2 Inducible T-Cell Kinase (ITK) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ITK elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to IL2 Inducible T-Cell Kinase (ITK). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to IL2 Inducible T-Cell Kinase (ITK). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain IL2 Inducible T-Cell Kinase (ITK), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of IL2 Inducible T-Cell Kinase (ITK) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	119582012
NCBI GeneID	3702
UniProt Accession #	Q08881; Q32ML7; B2R752
Molecular Weight	71,831 Da
NCBI Official Full Name	IL2-inducible T-cell kinase
NCBI Official Synonym Full Names	IL2 inducible T cell kinase
NCBI Official Symbol	ITK
NCBI Official Synonym Symbols	EMT; LYK; LPFS1; PSCTK2
NCBI Protein Information	tyrosine-protein kinase ITK/TSK
UniProt Protein Name	Tyrosine-protein kinase ITK/TSK
UniProt Gene Name	ITK
UniProt Synonym Gene Names	EMT; LYK; IL-2-inducible T-cell kinase

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/il2-inducible-t-cell-kinase-itk/187375>