

Human Inter Alpha-Globulin Inhibitor H5 (ITIH5) ELISA Kit | ITIH5 elisa kit

Human Inter Alpha-Globulin Inhibitor H5 (ITIH5) ELISA Kit

CATALOG #
AAA187376

REACTIVITY
Human


PRODUCT SYNONYMS

Inter Alpha-Globulin Inhibitor H5 (ITIH5); Human Inter Alpha-Globulin Inhibitor H5 (ITIH5) ELISA Kit; Inter-alpha-trypsin inhibitor heavy chain H5; ITIH5 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Inter Alpha-Globulin Inhibitor H5 (ITIH5). No significant cross-reactivity or interference between Inter Alpha-Globulin Inhibitor H5 (ITIH5) and analogues was observed.
Sequence Length	728
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	3.12-200ng/mL
Sensitivity	< 1.37ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Inter Alpha-Globulin Inhibitor H5 (ITIH5) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Inter Alpha-Globulin Inhibitor H5 (ITIH5) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ITIH5 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Inter Alpha-Globulin Inhibitor H5 (ITIH5). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Inter Alpha-Globulin Inhibitor H5 (ITIH5). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Inter Alpha-Globulin Inhibitor H5 (ITIH5), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Inter Alpha-Globulin Inhibitor H5 (ITIH5) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	312434033
NCBI GeneID	80760
NCBI Accession #	NP_116206.4
NCBI GenBank Nucleotide #	NM_032817.5
Molecular Weight	27,191 Da
NCBI Official Full Name	inter-alpha-trypsin inhibitor heavy chain H5 isoform 2
NCBI Official Synonym Full Names	inter-alpha-trypsin inhibitor heavy chain family member 5
NCBI Official Symbol	ITIH5
NCBI Official Synonym Symbols	ITI-HC5; PP14776
NCBI Protein Information	inter-alpha-trypsin inhibitor heavy chain H5
UniProt Protein Name	Inter-alpha-trypsin inhibitor heavy chain H5
UniProt Gene Name	ITIH5
UniProt Synonym Gene Names	KIAA1953; ITI heavy chain H5; ITI-HC5; Inter-alpha-inhibitor heavy chain 5

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.