

Human Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) ELISA Kit | Rac1 elisa kit

Human Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) ELISA Kit

CATALOG #
AAA187837

REACTIVITY
Human


PRODUCT SYNONYMS

Ras Related C3 Botulinum Toxin Substrate 1 (Rac1); Human Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) ELISA Kit; TC-25; p21-Rac1; MIG5; Cell migration-inducing gene 5 protein; Ras-like protein TC25; Rac1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Ras Related C3 Botulinum Toxin Substrate 1 (Rac1). No significant cross-reactivity or interference between Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) and analogues was observed.
Sequence Length	192
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.054ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Rac1 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Ras Related C3 Botulinum Toxin Substrate 1 (Rac1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Ras Related C3 Botulinum Toxin Substrate 1 (Rac1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Ras Related C3 Botulinum Toxin Substrate 1 (Rac1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Ras Related C3 Botulinum Toxin Substrate 1 (Rac1) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	54607147
NCBI GeneID	363875
NCBI Accession #	NP_599193.1
NCBI GenBank Nucleotide #	NM_134366.1
UniProt Accession #	Q6RUV5
Molecular Weight	21,450 Da
NCBI Official Full Name	ras-related C3 botulinum toxin substrate 1
NCBI Official Synonym Full Names	ras-related C3 botulinum toxin substrate 1
NCBI Official Symbol	Rac1
NCBI Protein Information	ras-related C3 botulinum toxin substrate 1
UniProt Protein Name	Ras-related C3 botulinum toxin substrate 1
UniProt Gene Name	Rac1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/ras-related-c3-botulinum-toxin-substrate-1-rac1/187837>