

Pig Follicle Stimulating Hormone (FSH) ELISA Kit | FSH elisa kit

Pig Follicle Stimulating Hormone (FSH) ELISA Kit

CATALOG #
AAA188048

REACTIVITY
Pig


PRODUCT SYNONYMS

Follicle Stimulating Hormone (FSH); Pig Follicle Stimulating Hormone (FSH) ELISA Kit; FSH elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Pig
Specificity	This assay has high sensitivity and excellent specificity for detection of Follicle Stimulating Hormone (FSH). No significant cross-reactivity or interference between Follicle Stimulating Hormone (FSH) and analogues was observed.
Sequence Length	134
Assay Type	Competitive Inhibition
Samples	Serum, Plasma and Other Biological Fluids
Detection Range	2.47-200ng/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 1.18ng/mL
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Follicle Stimulating Hormone (FSH) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Follicle Stimulating Hormone (FSH) were tested on 3 different plates, 8 replicates in each plate. $CV(\%) = SD/mean \times 100$ Intra-Assay: $CV < 10\%$ Inter-Assay: $CV < 12\%$
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FSH elisa kit	This assay employs the competitive inhibition enzyme immunoassay technique. A monoclonal antibody specific to Follicle Stimulating Hormone (FSH) has been pre-coated onto a microplate. A competitive inhibition reaction is launched between biotin labeled Follicle Stimulating Hormone (FSH) and unlabeled Follicle Stimulating Hormone (FSH) (Standards or samples) with the pre-coated antibody specific to Follicle Stimulating Hormone (FSH). After incubation the unbound conjugate is washed off. Next, avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. The amount of bound HRP conjugate is reverse proportional to the concentration of Follicle Stimulating Hormone (FSH) in the sample. After addition of the substrate solution, the intensity of color developed is reverse proportional to the concentration of Follicle Stimulating Hormone (FSH) in the sample.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	147905909
NCBI GeneID	407843
NCBI GenBank Nucleotide #	NP_001084494.1
NCBI Official Full Name	follicle stimulating hormone subunit beta L homeolog
NCBI Official Synonym Full Names	follicle stimulating hormone subunit beta L homeolog
NCBI Official Symbol	fshb.L
NCBI Official Synonym Symbols	FSH; fshb; fsh-beta
NCBI Protein Information	follicle stimulating hormone subunit beta L homeolog

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/pig-elisa-kits/follicle-stimulating-hormone-fsh/188048>