

# Human Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C) ELISA Kit | TNFRSF10C elisa kit

Human Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C) ELISA Kit

|                               |                            |
|-------------------------------|----------------------------|
| CATALOG #<br><b>AAA188094</b> | REACTIVITY<br><b>Human</b> |
|-------------------------------|----------------------------|


## PRODUCT SYNONYMS

Tumor Necrosis Factor Receptor Superfamily; Member 10C (TNFRSF10C); Human Tumor Necrosis Factor Receptor Superfamily; Member 10C (TNFRSF10C) ELISA Kit; CD263; TNFRSF10-C; DCR1; LIT; TRAILR3; TRID; Decoy Receptor 1; Tnf-Related Apoptosis-Inducing Ligand Receptor 3; Trail Receptor Without An Intracellular Domain; TNFRSF10C elisa kit

## PRODUCT SPECIFICATIONS

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity              | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Specificity             | This assay has high sensitivity and excellent specificity for detection of Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C).<br>No significant cross-reactivity or interference between Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C) and analogues was observed.                                                                                                                                                                                                               |
| Sequence Length         | 259                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Assay Type              | Double-antibody Sandwich                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Samples                 | Tissue Homogenates, Cell Lysates and Other Biological Fluids                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Detection Range         | 78-5,000pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Sensitivity             | The minimum detectable dose of this kit is typically less than 30pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Precision               | Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C) were tested 20 times on one plate, respectively.<br>Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C) were tested on 3 different plates, 8 replicates in each plate.<br>CV(%) = SD/meanX100<br>Intra-Assay: CV<10%<br>Inter-Assay: CV<12% |
| Preparation and Storage | The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.<br>To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.                             |

## IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for TNFRSF10C elisa kit | The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Tumor Necrosis Factor Receptor Superfamily, Member 10C (TNFRSF10C) in the samples is then determined by comparing the O.D. of the samples to the standard curve. |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

NCBI AND UNIPROT INFORMATION

|                                  |                                                            |
|----------------------------------|------------------------------------------------------------|
| NCBI GI #                        | 269849734                                                  |
| NCBI GeneID                      | 8794                                                       |
| UniProt Accession #              | O14798                                                     |
| NCBI Official Full Name          | Tumor necrosis factor receptor superfamily member 10C      |
| NCBI Official Synonym Full Names | TNF receptor superfamily member 10c                        |
| NCBI Official Symbol             | TNFRSF10C                                                  |
| NCBI Official Synonym Symbols    | LIT; DCR1; TRID; CD263; TRAILR3; TRAIL-R3; DCR1-TNFR       |
| NCBI Protein Information         | tumor necrosis factor receptor superfamily member 10C      |
| UniProt Protein Name             | Tumor necrosis factor receptor superfamily member 10C      |
| UniProt Gene Name                | TNFRSF10C                                                  |
| UniProt Synonym Gene Names       | DCR1; LIT; TRAILR3; TRID; DcR1; TRAIL receptor 3; TRAIL-R3 |
| UniProt Entry Name               | TR10C_HUMAN                                                |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.