

Mouse Apolipoprotein M (APOM) ELISA Kit | APOM elisa kit

Mouse Apolipoprotein M (APOM) ELISA Kit

CATALOG #
AAA188184

REACTIVITY
Mouse


PRODUCT SYNONYMS

Apolipoprotein M (APOM); Mouse Apolipoprotein M (APOM) ELISA Kit; Apo-M; G3a; NG20; Protein G3a; APOM elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Apolipoprotein M (APOM). No significant cross-reactivity or interference between Apolipoprotein M (APOM) and analogues was observed.
Sequence Length	190
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates and Other Biological Fluids
Detection Range	3.12-200ng/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 1.44ng/mL
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Apolipoprotein M (APOM) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Apolipoprotein M (APOM) were tested on 3 different plates, 8 replicates in each plate. $CV(\%) = SD/mean \times 100$ Intra-Assay: $CV < 10\%$ Inter-Assay: $CV < 12\%$
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for APOM elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Apolipoprotein M (APOM). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Apolipoprotein M (APOM). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Apolipoprotein M (APOM), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Apolipoprotein M (APOM) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	9055162
NCBI GeneID	55938
NCBI Accession #	NP_061286.1
NCBI GenBank Nucleotide #	NP_061286.1
UniProt Accession #	Q9Z1R3
NCBI Official Full Name	apolipoprotein M
NCBI Official Synonym Full Names	apolipoprotein M
NCBI Official Symbol	Apom
NCBI Official Synonym Symbols	G3a; NG20; 1190010O19Rik
NCBI Protein Information	apolipoprotein M
UniProt Protein Name	Apolipoprotein M
UniProt Gene Name	Apom
UniProt Synonym Gene Names	Ng20; Apo-M; ApoM
UniProt Entry Name	APOM_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.