

Human Relaxin 2 (RLN2) ELISA Kit | RLN2 elisa kit

Human Relaxin 2 (RLN2) ELISA Kit

CATALOG #
AAA188236

REACTIVITY
Human


PRODUCT SYNONYMS

Relaxin 2 (RLN2); Human Relaxin 2 (RLN2) ELISA Kit; H2; RLXH2; Relaxin H2; Prorelaxin H2; Relaxin;Ovarian;Of Pregnancy; RLN2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Relaxin 2 (RLN2). No significant cross-reactivity or interference between Relaxin 2 (RLN2) and analogues was observed.
Sequence Length	117
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	7.8-500pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 3.1pg/mL
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Relaxin 2 (RLN2) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Relaxin 2 (RLN2) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for RLN2 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Relaxin 2 (RLN2). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Relaxin 2 (RLN2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Relaxin 2 (RLN2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Relaxin 2 (RLN2) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	20143935
NCBI GeneID	6019
NCBI Accession #	NP_005050.2
NCBI GenBank Nucleotide #	NP_005050.2
UniProt Accession #	P04090
NCBI Official Full Name	prorelaxin H2 isoform 2
NCBI Official Synonym Full Names	relaxin 2
NCBI Official Symbol	RLN2
NCBI Official Synonym Symbols	H2; RLXH2; H2-RLX; bA12D24.1.1; bA12D24.1.2
NCBI Protein Information	prorelaxin H2
UniProt Protein Name	Prorelaxin H2
UniProt Gene Name	RLN2
UniProt Entry Name	REL2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/relaxin-2-rln2/188236>