

Porcine Leptin (LEP) CLIA Kit | LEP clia kit

Porcine Leptin (LEP) CLIA Kit

CATALOG # AAA188835	REACTIVITY Porcine	APPLICATIONS CLIA (Chemiluminescence Immunoassay)
-------------------------------	------------------------------	---


PRODUCT SYNONYMS

Leptin (LEP); Porcine Leptin (LEP) CLIA Kit; Leptin; OB; OBS; Obesity Homolog; Obesity Factor; Obese Protein; LEP clia kit

PRODUCT SPECIFICATIONS

Reactivity	Porcine
Specificity	This assay has high sensitivity and excellent specificity for detection of Leptin (LEP). No significant cross-reactivity or interference between Leptin (LEP) and analogues was observed.
Sequence Length	167
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, tissue homogenates and other biological fluids
Detection Range	13.7-10,000pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 6.1pg/mL
Applicable Applications for LEP clia kit	CLIA (Chemiluminescence Immunoassay)
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Leptin (LEP) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Leptin (LEP) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The microplate provided in this kit has been pre-coated with an antibody specific to Leptin (LEP). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Leptin (LEP). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Leptin (LEP) level in the sample or standard.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	55741433
NCBI GeneID	396832
NCBI Accession #	NP_999005.1
NCBI GenBank Nucleotide #	NP_999005.1
UniProt Accession #	Q29406
NCBI Official Full Name	leptin
NCBI Official Synonym Full Names	leptin
NCBI Official Symbol	LEP
NCBI Official Synonym Symbols	OB; OBS
NCBI Protein Information	leptin
UniProt Protein Name	Leptin
UniProt Gene Name	LEP
UniProt Synonym Gene Names	OB; OBS
UniProt Entry Name	LEP_PIG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/porcine-clia-kits/leptin-lep/188835>