

Human Galectin 1 (GAL1) CLIA Kit | GAL1 clia kit

Human Galectin 1 (GAL1) CLIA Kit

CATALOG # AAA188903	REACTIVITY Human	APPLICATIONS CLIA (Chemiluminescence Immunoassay)
-------------------------------	----------------------------	---


PRODUCT SYNONYMS

Galectin 1 (GAL1); Human Galectin 1 (GAL1) CLIA Kit; Galectin 1; LGALS1; GBP; HLBP14; Galaptin; Lectin; Galactoside-Binding Soluble 1; 14 kDa laminin-binding protein; Lactose-binding lectin 1; Putative MAPK-activating protein PM12; S-Lac lectin; GAL1 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Galectin 1 (GAL1). No significant cross-reactivity or interference between Galectin 1 (GAL1) and analogues was observed.
Sequence Length	135
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	68.6-50,000pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 25.3pg/mL
Applicable Applications for GAL1 clia kit	CLIA (Chemiluminescence Immunoassay)
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Galectin 1 (GAL1) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Galectin 1 (GAL1) were tested on 3 different plates, 8 replicates in each plate. $CV(\%) = SD/mean \times 100$ Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The microplate provided in this kit has been pre-coated with an antibody specific to Galectin 1 (GAL1). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Galectin 1 (GAL1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Galectin 1 (GAL1) level in the sample or standard.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504981
NCBI GeneID	3956
NCBI Accession #	NP_002296.1
NCBI GenBank Nucleotide #	NP_002296.1
UniProt Accession #	P09382
NCBI Official Full Name	galectin-1
NCBI Official Synonym Full Names	galectin 1
NCBI Official Symbol	LGALS1
NCBI Official Synonym Symbols	GBP; GAL1
NCBI Protein Information	galectin-1
UniProt Protein Name	Galectin-1
UniProt Gene Name	LGALS1
UniProt Synonym Gene Names	Gal-1; HLBP14
UniProt Entry Name	LEG1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/galectin-1-gal1/188903>