

Human B-Lymphocyte Chemoattractant 1 (BLC1) CLIA Kit | BLC1 clia kit

Human B-Lymphocyte Chemoattractant 1 (BLC1) CLIA Kit

CATALOG # AAA189027	REACTIVITY Human	APPLICATIONS CLIA (Chemiluminescence Immunoassay)
-------------------------------	----------------------------	---


PRODUCT SYNONYMS

B-Lymphocyte Chemoattractant 1 (BLC1); Human B-Lymphocyte Chemoattractant 1 (BLC1) CLIA Kit; B-Lymphocyte Chemoattractant 1; CXCL13; SCYB13; BLC; BCA1; BLR1L; ANGIE; ANGIE2; Chemokine(C-X-C-Motif)ligand 13; Small Inducible Cytokine B Subfamily(Cys-X-Cys Motif)Member 13; BLC1 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of B-Lymphocyte Chemoattractant 1 (BLC1). No significant cross-reactivity or interference between B-Lymphocyte Chemoattractant 1 (BLC1) and analogues was observed.
Sequence Length	109
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
Detection Range	1.37-1,000pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 0.54pg/mL
Applicable Applications for BLC1 clia kit	CLIA (Chemiluminescence Immunoassay)
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level B-Lymphocyte Chemoattractant 1 (BLC1) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level B-Lymphocyte Chemoattractant 1 (BLC1) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The microplate provided in this kit has been pre-coated with an antibody specific to B-Lymphocyte Chemoattractant 1 (BLC1). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to B-Lymphocyte Chemoattractant 1 (BLC1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the B-Lymphocyte Chemoattractant 1 (BLC1) level in the sample or standard.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	5453577
NCBI GeneID	10563
NCBI Accession #	NP_006410.1
NCBI GenBank Nucleotide #	NP_006410.1
UniProt Accession #	Q53X90; O43927
NCBI Official Full Name	C-X-C motif chemokine 13
NCBI Official Synonym Full Names	C-X-C motif chemokine ligand 13
NCBI Official Symbol	CXCL13
NCBI Official Synonym Symbols	BLC; BCA1; ANGIE; BCA-1; BLR1L; ANGIE2; SCYB13
NCBI Protein Information	C-X-C motif chemokine 13
UniProt Protein Name	C-X-C motif chemokine
UniProt Gene Name	CXCL13

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/b-lymphocyte-chemoattractant-1-blc1/189027>