

Human Growth Differentiation Factor 11 (GDF11) CLIA Kit | GDF11 clia kit

Human Growth Differentiation Factor 11 (GDF11) CLIA Kit

CATALOG # AAA189078	REACTIVITY Human	APPLICATIONS CLIA (Chemiluminescence Immunoassay)
-------------------------------	----------------------------	---


PRODUCT SYNONYMS

Growth Differentiation Factor 11 (GDF11); Human Growth Differentiation Factor 11 (GDF11) CLIA Kit; Growth Differentiation Factor 11; BMP11; Bone morphogenetic protein 11; GDF11 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Growth Differentiation Factor 11 (GDF11). No significant cross-reactivity or interference between Growth Differentiation Factor 11 (GDF11) and analogues was observed.
Sequence Length	407
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	1.37-1,000pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 0.54pg/mL
Applicable Applications for GDF11 clia kit	CLIA (Chemiluminescence Immunoassay)
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Growth Differentiation Factor 11 (GDF11) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Growth Differentiation Factor 11 (GDF11) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The microplate provided in this kit has been pre-coated with an antibody specific to Growth Differentiation Factor 11 (GDF11). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Growth Differentiation Factor 11 (GDF11). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Growth Differentiation Factor 11 (GDF11) level in the sample or standard.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031613
NCBI Accession #	NP_005802.1
NCBI GenBank Nucleotide #	NP_005802.1
UniProt Accession #	O95390
NCBI Official Full Name	growth/differentiation factor 11 preproprotein
UniProt Protein Name	Growth/differentiation factor 11
UniProt Gene Name	GDF11
UniProt Synonym Gene Names	BMP11; GDF-11; BMP-11
UniProt Entry Name	GDF11_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/growth-differentiation-factor-11-gdf11/189078>