

Human X-Ray Repair Cross Complementing 1 ELISA Kit | XRCC1 elisa kit

Human X-Ray Repair Cross Complementing 1 (XRCC1) (Sandwich ELISA) ELISA Kit

CATALOG #
AAA189912

REACTIVITY
Human


PRODUCT SYNONYMS

X-Ray Repair Cross Complementing 1; Human X-Ray Repair Cross Complementing 1 (XRCC1) (Sandwich ELISA) ELISA Kit; RCC; DNA repair protein XRCC1; ELISA Kit for X-Ray Repair Cross Complementing 1 (XRCC1); XRCC1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of XRCC1. No significant cross-reactivity or interference between XRCC1 and analogues was observed.
Assay Type	Quantitative Sandwich
Samples	Human tissue homogenates, cell lysates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.057ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level XRCC1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level XRCC1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	4 degree C for 1 month/ -20 degree C for long-term(within shelf life). Shelf life is one year

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for XRCC1 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to XRCC1. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to XRCC1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain XRCC1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of XRCC1 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of XRCC1 in human tissue homogenates, cell lysates and other biological fluids.
Product Categories/Family for XRCC1 elisa kit	Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	190684675
NCBI GeneID	7515
NCBI Accession #	NP_006288.2
NCBI GenBank Nucleotide #	NM_006297.2
UniProt Accession #	P18887; Q6IBS4; Q9HCB1
Molecular Weight	69,477 Da
NCBI Official Full Name	DNA repair protein XRCC1
NCBI Official Synonym Full Names	X-ray repair complementing defective repair in Chinese hamster cells 1
NCBI Official Symbol	XRCC1
NCBI Official Synonym Symbols	RCC
NCBI Protein Information	DNA repair protein XRCC1; X-ray repair cross-complementing protein 1; X-ray-repair, complementing defective, repair in Chinese hamster
UniProt Protein Name	DNA repair protein XRCC1
UniProt Gene Name	XRCC1
UniProt Entry Name	XRCC1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/xrcc1-human-elisa-kits/x-ray-repair-cross-complementing-1/189912>