

Rabbit CLDN16 Polyclonal Antibody | anti-CLDN16 antibody

CLDN16 antibody - C-terminal region

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA197633	Rabbit	Cow, Dog, Horse, Human, Mouse, Pig, Rabbit, Rat	Western Blot


PRODUCT SYNONYMS

CLDN16; Polyclonal Antibody; CLDN16 antibody - C-terminal region; anti-CLDN16 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Cow, Dog, Horse, Human, Mouse, Pig, Rabbit, Rat
Clonality	Polyclonal
Purity/Purification	Protein A purified
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Sequence	Synthetic peptide with the following region: FL AGAVLTCCLY LFKDVGPERN YPYSLRKAYS AAGVSMKSY SAPRTETA
Sequence Length	305
Applicable Applications for anti-CLDN16 antibody	WB (Western Blot)
Homology	Cow: 86%; Dog: 86%; Horse: 93%; Human: 100%; Mouse: 86%; Pig: 86%; Rabbit: 93%; Rat: 86%
Immunogen	The immunogen is a synthetic peptide directed towards the C terminal region of human CLDN16
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES


WB (Western Blot)

WB Suggested Anti-CLDN16 Antibody Titration: 1.25 ug/ml Positive Control: Fetal kidney


WB (Western Blot)

Host: Mouse Target Name: CLDN16 Sample Tissue: Mouse Kidney Antibody Dilution: 1ug/ml

ADDITIONAL INFORMATION

Related Product Information for anti-CLDN16 antibody	This is a rabbit polyclonal antibody against CLDN16. It was validated on Western Blot using a cell lysate as a positive control. Target Description: Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary grooves in the inwardly facing extracytoplasmic leaflet. The protein encoded by this gene, a member of the claudin family, is an integral membrane protein and a component of tight junction strands. It is found primarily in the kidneys, specifically in the thick ascending limb of Henle, where it acts as either an intercellular pore or ion concentration sensor to regulate the paracellular resorption of magnesium ions. Defects in this gene are a cause of primary hypomagnesemia, which is characterized by massive renal magnesium wasting with hypomagnesemia and hypercalciuria, resulting in nephrocalcinosis and renal failure.
Product Categories/Family for anti-CLDN16 antibody	Polyclonal; Disease Related; Hepatitis C

NCBI AND UNIPROT INFORMATION

NCBI GI #	5729970
NCBI GeneID	10686
NCBI Accession #	NP_006571
NCBI GenBank Nucleotide #	NM_006580
UniProt Accession #	Q9Y5I7
Molecular Weight	34kDa
NCBI Official Full Name	claudin-16
NCBI Official Synonym Full Names	claudin 16
NCBI Official Symbol	CLDN16
NCBI Official Synonym Symbols	HOMG3; PCLN1
NCBI Protein Information	claudin-16
UniProt Protein Name	Claudin-16
UniProt Gene Name	CLDN16
UniProt Synonym Gene Names	PCLN1; PCLN-1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.