

Rabbit TRIP13 Polyclonal Antibody | anti-TRIP13 antibody

TRIP13 antibody - N-terminal region

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA198013	Rabbit	Cow, Dog, Guinea Pig, Horse, Human, Mouse, Rabbit, Rat	Western Blot, Immunohistochemistry


PRODUCT SYNONYMS

TRIP13; Polyclonal Antibody; TRIP13 antibody - N-terminal region; anti-TRIP13 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Cow, Dog, Guinea Pig, Horse, Human, Mouse, Rabbit, Rat
Clonality	Polyclonal
Purity/Purification	Protein A purified
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Sequence	Synthetic peptide with the following region: KD SQPIDLSACT VALHIFQLNE DGPSSENLEE ETENIIAANH WVLPAAEF
Sequence Length	432
Applicable Applications for anti-TRIP13 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Homology	Cow: 100%; Dog: 79%; Guinea Pig: 100%; Horse: 100%; Human: 100%; Mouse: 93%; Rabbit: 100%; Rat: 93%
Immunogen	The immunogen is a synthetic peptide directed towards the N terminal region of human TRIP13
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



WB (Western Blot)

WB Suggested Anti-TRIP13 Antibody Titration: 5.0ug/ml
ELISA Titer: 1:12500
Positive Control: Jurkat cell lysate
TRIP13 is supported by BioGPS gene expression data to be expressed in Jurkat



IHC (Immunohistochemistry)

Rabbit Anti-TRIP13 antibody
Paraffin Embedded Tissue: Human Heart cell
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 ug/ml
Magnification: 400X

ADDITIONAL INFORMATION

Related Product Information for anti-TRIP13 antibody	This is a rabbit polyclonal antibody against TRIP13. It was validated on Western Blot using a cell lysate as a positive control. Target Description: The thyroid hormone (T3) receptors (TRs) are hormone-dependent transcription factors that regulate expression of a variety of specific target genes. TRIP13 specifically interacts with the ligand binding domain of the TRs. It is a member of Trips (TR-interacting proteins) family. Nearly all of the Trips also show similar ligand-dependent interaction with the retinoid X receptor (RXR), but none interact with the glucocorticoid receptor under any conditions. Trips predict specific functional roles: one is an apparent human homolog of a yeast transcriptional coactivator, one is a new member of a class of nonhistone chromosomal proteins, and one contains a conserved domain associated with ubiquitination of specific target proteins.
Product Categories/Family for anti-TRIP13 antibody	Polyclonal; Transcription Factor; Transcription Regulation; Chromatin & Nuclear Signaling; E3 & Ubiquitin; DNA/RNA/Protein Interactions; Receptors; Transcription Factors; Cell Differentiation

NCBI AND UNIPROT INFORMATION

NCBI GI #	11321607
NCBI GeneID	9319
NCBI Accession #	NP_004228
NCBI GenBank Nucleotide #	NM_004237
UniProt Accession #	Q15645
Molecular Weight	49kDa
NCBI Official Full Name	pachytene checkpoint protein 2 homolog isoform 1
NCBI Official Synonym Full Names	thyroid hormone receptor interactor 13
NCBI Official Symbol	TRIP13
NCBI Official Synonym Symbols	MVA3; 16E1BP
NCBI Protein Information	pachytene checkpoint protein 2 homolog
UniProt Protein Name	Pachytene checkpoint protein 2 homolog
UniProt Gene Name	TRIP13
UniProt Synonym Gene Names	PCH2; 16E1-BP; HPV16 E1 protein-binding protein; TR-interacting protein 13; TRIP-13
UniProt Entry Name	PCH2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/trip13-antibody-western-blot-immunohistochemistry-elisa/198013>