

Rabbit TEAD3 Polyclonal Antibody | anti-TEAD3 antibody

TEAD3 antibody - N-terminal region

CATALOG # AAA198277	HOST Rabbit	REACTIVITY Cow, Dog, Guinea Pig, Horse, Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	---	-------------------------------------


PRODUCT SYNONYMS

TEAD3; Polyclonal Antibody; TEAD3 antibody - N-terminal region; anti-TEAD3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Cow, Dog, Guinea Pig, Horse, Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	Affinity Purified
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Sequence	Synthetic peptide with the following region: MA SNSWNASSSP GEAREDGPEG LDKGLDNDAGVWSPDIEQS FQEALAIY
Sequence Length	435
Applicable Applications for anti-TEAD3 antibody	WB (Western Blot)
Homology	Cow: 100%; Dog: 100%; Guinea Pig: 100%; Horse: 100%; Human: 100%; Mouse: 93%; Rat: 100%
Immunogen	The immunogen is a synthetic peptide directed towards the N terminal region of human TEAD3
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)

WB Suggested Anti-TEAD3 antibody Titration: 1 ug/mL Sample Type: Human heart


WB (Western Blot)

WB Suggested Anti-TEAD3 Antibody Titration: 0.2-1 ug/ml Positive Control: HeLa cell lysate



WB (Western Blot)
Host: RabbitTarget Name: TEAD3Sample Tissue: Human HepG2Antibody Dilution: 1.0ug/ml

ADDITIONAL INFORMATION

Related Product Information for anti-TEAD3 antibody	This is a rabbit polyclonal antibody against TEAD3. It was validated on Western Blot using a cell lysate as a positive control. Target Description: TEAD3 is a member of the transcriptional enhancer factor (TEF) family. The family members contain the TEA/ATTS DNA-binding domain. This member is preferentially expressed in placenta and transactivates the chorionic somatomammotropin gene enhancer. This gene encodes a member of the transcriptional enhancer factor (TEF) family. The family members contain the TEA/ATTS DNA-binding domain. This member is preferentially expressed in placenta and transactivates the chorionic somatomammotropin gene enhancer. The protein is encoded through the use of a non-AUG (ATA) translation initiation codon.This gene product is a member of the transcriptional enhancer factor (TEF) family of transcription factors, which contain the TEA/ATTS DNA-binding domain. It is predominantly expressed in the placenta and is involved in the transactivation of the chorionic somatomammotropin-B gene enhancer. Translation of this protein is initiated at a non-AUG (AUA) start codon.
Product Categories/Family for anti-TEAD3 antibody	Polyclonal; Transcription Factor; Transcription Regulation; Transcription Regulation; DNA/RNA/Protein Interactions; Transcription Factors

NCBI AND UNIPROT INFORMATION

NCBI GI #	42490753
NCBI GeneID	7005
NCBI Accession #	NP_003205
NCBI GenBank Nucleotide #	NM_003214
UniProt Accession #	Q99594
Molecular Weight	49kDa
NCBI Official Full Name	transcriptional enhancer factor TEF-5
NCBI Official Synonym Full Names	TEA domain transcription factor 3
NCBI Official Symbol	TEAD3
NCBI Official Synonym Symbols	TEF5; TEAD5; TEF-5; DTEF-1; ETFR-1; TEAD-3
NCBI Protein Information	transcriptional enhancer factor TEF-5
UniProt Protein Name	Transcriptional enhancer factor TEF-5
UniProt Gene Name	TEAD3
UniProt Synonym Gene Names	TEAD5; TEF5; TEAD-3
UniProt Entry Name	TEAD3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/tead3-antibody-western-blot-elisa/198277>