

Rabbit KHSRP Polyclonal Antibody | anti-KHSRP antibody

KHSRP Antibody - middle region

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA198670	Rabbit	Cow, Dog, Guinea Pig, Horse, Human, Mouse, Rabbit, Rat	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

KHSRP; Polyclonal Antibody; KHSRP Antibody - middle region; anti-KHSRP antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Cow, Dog, Guinea Pig, Horse, Human, Mouse, Rabbit, Rat
Clonality	Polyclonal
Purity/Purification	Affinity Purified
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Sequence	Synthetic peptide with the following region: II GDPYKVQQAC EMVMDILRER DQGGFGDRNE YGSRIGGGID VPVPRHSV
Sequence Length	711
Applicable Applications for anti-KHSRP antibody	IHC (Immunohistochemistry), WB (Western Blot)
Homology	Cow: 100%; Dog: 100%; Guinea Pig: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Rabbit: 100%; Rat: 100%
Immunogen	The immunogen is a synthetic peptide directed towards the middle region of Human KHSRP
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



IMAGES


WB (Western Blot)

WB Suggested Anti-KHSRP antibody Titration: 1 ug/mL Sample Type: Human heart



WB (Western Blot)

Host: Rabbit Target Name: KHSRP Sample Type: Thyroid Tumor lysates Antibody Dilution: 1.0ug/ml



IHC (Immunohistochemistry)
 Rabbit Anti-KHSRP Antibody Formalin Fixed Paraffin Embedded Tissue: Human Liver Tissue
 Observed Staining: Cytoplasm and nucleus in Kupffer cells and sinusoids
 Primary Antibody Concentration: N/A
 Other Working Concentrations: 1:600
 Secondary Antibody: Donkey anti-Rabbit-Cy3
 Secondary Antibody Concentration: 1:200
 Magnification: 20X
 Exposure Time: 0.5 - 2.0 sec

IHC (Immunohistochemistry)
 Rabbit Anti-KHSRP Antibody Formalin Fixed Paraffin Embedded Tissue: Human heart Tissue
 Observed Staining: Cytoplasmic, nucleus
 Primary Antibody Concentration: N/A
 Other Working Concentrations: 1:600
 Secondary Antibody: Donkey anti-Rabbit-Cy3
 Secondary Antibody Concentration: 1:200
 Magnification: 20X
 Exposure Time: 0.5 - 2.0 sec



IHC (Immunohistochemistry)
 Rabbit Anti-KHSRP Antibody Formalin Fixed Paraffin Embedded Tissue: Human Adult heart
 Observed Staining: Cytoplasmic
 Primary Antibody Concentration: 1:100
 Secondary Antibody: Donkey anti-Rabbit-Cy2/3
 Secondary Antibody Concentration: 1:200
 Magnification: 20X
 Exposure Time: 0.5 - 2.0 sec
 Protocol located in Reviews and Data.

ADDITIONAL INFORMATION

Related Product Information for anti-KHSRP antibody	This is a rabbit polyclonal antibody against KHSRP. It was validated on Western Blot Target Description: The KHSRP gene encodes a multifunctional RNA-binding protein implicated in a variety of cellular processes, including transcription, alternative pre-mRNA splicing, and mRNA localization.
Product Categories/Family for anti-KHSRP antibody	Polyclonal ; RNA Binding Proteins ; Cell Biology ; Mitochondria ; E3 & Ubiquitin

NCBI AND UNIPROT INFORMATION

NCBI GI #	154355000
NCBI GeneID	8570
NCBI Accession #	NP_003676
NCBI GenBank Nucleotide #	NM_003685
UniProt Accession #	Q92945
Molecular Weight	73kDa
NCBI Official Full Name	far upstream element-binding protein 2 isoform 1
NCBI Official Synonym Full Names	KH-type splicing regulatory protein
NCBI Official Symbol	KHSRP
NCBI Official Synonym Symbols	p75; FBP2; KSRP; FUBP2
NCBI Protein Information	far upstream element-binding protein 2
UniProt Protein Name	Far upstream element-binding protein 2
UniProt Gene Name	KHSRP
UniProt Synonym Gene Names	FUBP2; FUSE-binding protein 2; KSRP
UniProt Entry Name	FUBP2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

