

Rabbit CrkL Monoclonal Antibody | anti-CrkL antibody

Anti-CrkL Rabbit Monoclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA20017	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunocytochemistry, Immunofluorescence, Immunoprecipitation, Flow Cytometry, Functional Assay


PRODUCT SYNONYMS

CrkL; Monoclonal Antibody; Anti-CrkL Rabbit Monoclonal Antibody; anti-CrkL antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Isotype	IgG
Clone Number	32C63
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Applicable Applications for anti-CrkL antibody	WB (Western Blot), IHC (Immunohistochemistry), ICC (Immunocytochemistry), IF (Immunofluorescence), IP (Immunoprecipitation), FCM/FACS (Flow Cytometry)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:200 ICC/IF: 1:50-1:200 IP: 1:50 FC: 1:50
Immunogen	A synthesized peptide derived from human CrkL
Preparation and Storage	Store at -20 degree C for one year. For short term storage and frequent use, store at 4 degree C for up to one month. Avoid repeated freeze-thaw cycles.


IMAGES


WB (Western Blot)

All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.



WB (Western Blot)

All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.




WB (Western Blot)

All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.




WB (Western Blot)

All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.



IP (Immunoprecipitation)

Immunoprecipitate (IP) analysis using the Antibody at 1:50 dilution. (wb at 1:1K dilution)



WB (Western Blot)

All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.

ADDITIONAL INFORMATION

Product Categories/Family for anti-CrkL antibody

Primary Antibodies, Rabbit Monoclonal Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	4885153
NCBI GeneID	1399
NCBI Accession #	NP_005198.1
NCBI GenBank Nucleotide #	NM_005207.3
UniProt Accession #	P46109; A8KA44; D3DX35
Molecular Weight	33,777 Da
NCBI Official Full Name	crk-like protein
NCBI Official Synonym Full Names	v-crkl sarcoma virus CT10 oncogene homolog (avian)-like
NCBI Official Symbol	CRKL
NCBI Protein Information	crk-like protein
UniProt Protein Name	Crk-like protein
UniProt Gene Name	CRKL
UniProt Entry Name	CRKL_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/crkl-antibody-clone-32c63-western-blot-immunohistochemistry-immunocytochemistry-immunofluorescence-immunoprecipitation-flow-cytometry-elisa/20017>