

Rabbit anti-Human Inhibin Beta E (INHbE) Antibody | anti-INHbE antibody

Polyclonal Antibody to Inhibin Beta E (INHbE)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA20112	Rabbit	Human	Western Blot, Immunohistochemistry, Immunocytochemistry, Immunoprecipitation

PRODUCT SYNONYMS


Inhibin Beta E (INHbE); Polyclonal Antibody to Inhibin Beta E (INHbE); anti-INHbE antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Liquid; Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol
Concentration	0.5mg/mL (varies by lot)
Applicable Applications for anti-INHbE antibody	WB (Western Blot), IHC (Immunohistochemistry), ICC (Immunocytochemistry), IP (Immunoprecipitation)
Application Notes	Western blotting: 0.01-2ug/mL; Immunohistochemistry: 5-20ug/mL; Immunocytochemistry: 5-20ug/mL; Optimal working dilutions must be determined by end user.
Source	Polyclonal antibody preparation
Cross Reactivity	Mouse
Immunogen	Recombinant INHbE (Thr237~Ser350) expressed in E.coli ()
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition




WB (Western Blot)
Western Blot; Samples: Lane1: HepG2 cell lysateLane2: LO2 cell lysate;Primary Ab: 0.5ug/ml Rabbit Anti-Human INHbE AntibodySecond Ab: 0.2ug/ml HRP-LinkedCaprine Anti-Rabbit IgG Polyclonal Antibody




WB (Western Blot)
Western Blot; Sample: Mouse SerumPrimary Ab: 0.5ug/ml Rabbit Anti-HumanINHbE Antibody
Second Ab: 0.2ug/mlHRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IF (Immunofluorescence)
AF488 staining on IF; Sample: HepG2 cellPrimary Ab: 20ug/ml Rabbit Anti-Human INHbE AntibodySecond Ab: 2ug/ml AF488-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog: Please inquire



WB (Western Blot)
Western Blot;Sample: Mouse Liver lysatePrimary Ab: 0.1ug/ml Rabbit Anti-Human INHbE AntibodySecond Ab: 0.2ug/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody
(Catalog:



WB (Western Blot)
Western Blot;Sample: Recombinant INHbE, Human.

NCBI AND UNIPROT INFORMATION

NCBI GI #	13899338
NCBI GeneID	83729
NCBI GenBank Nucleotide #	NM_031479.4

NCBI Official Full Name	inhibin beta E chain preproprotein
NCBI Official Synonym Full Names	inhibin beta E subunit
NCBI Official Symbol	INHBE
NCBI Protein Information	inhibin beta E chain
UniProt Protein Name	Inhibin beta E chain
UniProt Gene Name	INHBE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rabbit-human-antibody/inhibin-beta-e-inhbe/20112>