

Rabbit anti-Human RCAN1 Polyclonal Antibody | anti-RCAN1 antibody

RCAN1 Antibody - C-terminal region

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA201482	Rabbit	Human	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

RCAN1; Polyclonal Antibody; RCAN1 Antibody - C-terminal region; anti-RCAN1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Affinity Purified
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Sequence	Synthetic peptide with the following region: LH KTEFLGKEMK LYFAQTLHIG SSSLAPPNPD KQFLISPPAS PPVGWKQV
Sequence Length	252
Applicable Applications for anti-RCAN1 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	The immunogen is a synthetic peptide directed towards the C-terminal region of Human RCAN1
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)

Host: Rabbit Target Name: RCAN1 Sample Type: Fetal Kidney lysates Antibody Dilution: 1.0 µg/ml


WB (Western Blot)

Host: Mouse Target Name: RCAN1 Sample Tissue: Mouse Testis Antibody Dilution: 1 µg/ml



IHC (Immunohistochemistry)

Rabbit Anti-RCAN1 Antibody
Formalin Fixed Paraffin Embedded Tissue: Human heart
Tissue
Observed Staining: Cytoplasmic, nucleus
Primary Antibody Concentration: 1:100
Other Working Concentrations: N/A
Secondary Antibody: Donkey anti-Rabbit-Cy3
Secondary Antibody Concentration: 1:200
Magnification: 20X
Exposure Time: 0.5 - 2.0 sec

ADDITIONAL INFORMATION

Related Product Information for anti-RCAN1 antibody	This is a rabbit polyclonal antibody against RCAN1. It was validated on Western Blot Target Description: The protein encoded by this gene interacts with calcineurin A and inhibits calcineurin-dependent signaling pathways, possibly affecting central nervous system development. This gene is located in the minimal candidate region for the Down syndrome phenotype, and is overexpressed in the brain of Down syndrome fetuses. Chronic overexpression of this gene may lead to neurofibrillary tangles such as those associated with Alzheimer disease. Alternative splicing results in multiple transcript variants.
Product Categories/Family for anti-RCAN1 antibody	Polyclonal; Transcription Factor; Neurobiology; Transcription Regulation; Lymphocyte Signaling; Cell Biology; Developmental Biology; Signal Transduction; Disease Related

NCBI AND UNIPROT INFORMATION

NCBI GI #	33620725
NCBI GeneID	1827
NCBI Accession #	NP_004405.3
NCBI GenBank Nucleotide #	NM_004414.7
UniProt Accession #	P53805
Molecular Weight	27kDa
NCBI Official Full Name	calcipressin-1 isoform a
NCBI Official Synonym Full Names	regulator of calcineurin 1
NCBI Official Symbol	RCAN1
NCBI Official Synonym Symbols	CSP1; DSC1; RCN1; DSCR1; MCIP1; ADAPT78
NCBI Protein Information	calcipressin-1
UniProt Protein Name	Calcipressin-1
UniProt Gene Name	RCAN1
UniProt Synonym Gene Names	ADAPT78; CSP1; DSC1; DSCR1; MCIP1
UniProt Entry Name	RCAN1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/rcan1-antibody-immunohistochemistry-western-blot-elisa/201482>