

Mouse Surfactant Associated Protein D (SPD) ELISA Kit | SPD elisa kit

Mouse Surfactant Associated Protein D (SPD) ELISA Kit

CATALOG #
AAA20628

REACTIVITY
Mouse


PRODUCT SYNONYMS

Surfactant Associated Protein D (SPD); Mouse Surfactant Associated Protein D (SPD) ELISA Kit; SFTPD; COLEC7; PSP-D; SFTP4; SP-D; Pulmonary Surfactant Protein D; Collectin-7; Lung surfactant protein D; SPD elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of SPAST. No significant cross-reactivity or interference between SPAST and analogues was observed.
Sequence Length	374
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Lung Lavage Fluid and other biological fluids
Detection Range	31.2-2,000pg/mL
Sensitivity	12.7pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level SPAST were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level SPAST were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SPD elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of SPAST in human tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to SPAST. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to SPAST. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain SPAST, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of SPAST in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for SPD elisa kit	Infection immunity; Pulmonology

NCBI AND UNIPROT INFORMATION

NCBI GI #	13277590
NCBI GeneID	20390
UniProt Accession #	P50404
Molecular Weight	37,688 Da
NCBI Official Full Name	Surfactant associated protein D
NCBI Official Synonym Full Names	surfactant associated protein D
NCBI Official Symbol	Sftpd
NCBI Official Synonym Symbols	SP-D; Sftp4; AI573415
NCBI Protein Information	pulmonary surfactant-associated protein D
UniProt Protein Name	Pulmonary surfactant-associated protein D
UniProt Gene Name	Sftpd
UniProt Synonym Gene Names	Sftp4; PSP-D; SP-D
UniProt Entry Name	SFTPD_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/surfactant-associated-protein-d-spd/20628>