

Mouse Occludin (OCLN) ELISA Kit | OCLN elisa kit

Mouse Occludin (OCLN) ELISA Kit

CATALOG #
AAA20772

REACTIVITY
Mouse


PRODUCT SYNONYMS

Occludin (OCLN); Mouse Occludin (OCLN) ELISA Kit; Tight Junction Protein Occludin TM4 Minus; OCLN elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of OAS2. No significant cross-reactivity or interference between OAS2 and analogues was observed.
Sequence Length	70
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	0.132ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level OAS2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level OAS2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for OCLN elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of OAS2 in human serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to OAS2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to OAS2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain OAS2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of OAS2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for OCLN elisa kit	Signal Transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	1322282
NCBI GeneID	100506658
UniProt Accession #	Q16625; Q5U1V4; Q8N6K1; B5BU70; D2DU64; D2DU65; D2IGC0; D2IGC1; E2CYV9
Molecular Weight	8,175 Da
NCBI Official Full Name	occludin
NCBI Official Synonym Full Names	occludin
NCBI Official Symbol	OCLN
NCBI Official Synonym Symbols	BLCPMG; PPP1R115
NCBI Protein Information	occludin
UniProt Protein Name	Occludin
UniProt Gene Name	OCLN
UniProt Entry Name	OCLN_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/occludin-ocln/20772>