

Human Mitofusin 2 (MFN2) ELISA Kit | MFN2 elisa kit

Human Mitofusin 2 (MFN2) ELISA Kit

CATALOG #
AAA20785

REACTIVITY
Human


PRODUCT SYNONYMS

Mitofusin 2 (MFN2); Human Mitofusin 2 (MFN2) ELISA Kit; CMT2A; CMT2A2; CPRP1; HSG; MARF; Transmembrane GTPase MFN2; MFN2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of MFN2. No significant cross-reactivity or interference between MFN2 and analogues was observed.
Sequence Length	757
Assay Type	Quantitative Sandwich
Samples	Human tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.056ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level MFN2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level MFN2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MFN2 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to MFN2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to MFN2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MFN2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of MFN2 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of MFN2 in human tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
Product Categories/Family for MFN2 elisa kit	Metabolic pathway

NCBI AND UNIPROT INFORMATION

NCBI GI #	16877627
NCBI GeneID	9927
Molecular Weight	50,041 Da
NCBI Official Full Name	Mitofusin 2
NCBI Official Synonym Full Names	mitofusin 2
NCBI Official Symbol	MFN2
NCBI Official Synonym Symbols	HSG; MARF; CMT2A; CPRP1; CMT2A2
NCBI Protein Information	mitofusin-2
UniProt Protein Name	Mitofusin-2
UniProt Gene Name	MFN2
UniProt Synonym Gene Names	CPRP1; KIAA0214
UniProt Entry Name	MFN2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/mitofusin-2-mfn2/20785>