

Human Sestrin 2 (SESN2) ELISA Kit | SESN2 elisa kit

Human Sestrin 2 (SESN2) ELISA Kit

CATALOG #
AAA20795

REACTIVITY
Human


PRODUCT SYNONYMS

Sestrin 2 (SESN2); Human Sestrin 2 (SESN2) ELISA Kit; HI95; SES2; SEST2; SESN2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of SESN2. No significant cross-reactivity or interference between SESN2 and analogues was observed.
Sequence Length	480
Assay Type	Double-antibody Sandwich
Samples	Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	0.054ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level SESN2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level SESN2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SESN2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of SESN2 in human serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids. Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to SESN2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to SESN2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain SESN2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of SESN2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for SESN2 elisa kit	Neuroscience
References	Investigation of the levels of circulating miR-29a, miR-122, sestrin 2 and inflammatory markers in obese children with/without type 2 diabetes: a case control study; BMC Endocr Disord; 2021 Aug 3;21(1):152.; PMID: 34344352; Khalid M Mohany; Department of Medical Biochemistry, College of Medicine, Assiut University, P.O. Box, Assiut, 71515, Egypt. khalidmohany@aun.edu.eg.

NCBI AND UNIPROT INFORMATION

NCBI GI #	21707433
NCBI GeneID	83667
Molecular Weight	54,494 Da
NCBI Official Full Name	Sestrin 2
NCBI Official Synonym Full Names	sestrin 2
NCBI Official Symbol	SESN2
NCBI Official Synonym Symbols	HI95; SES2; SEST2
NCBI Protein Information	sestrin-2
UniProt Protein Name	Sestrin-2
UniProt Gene Name	SESN2
UniProt Synonym Gene Names	SEST2
UniProt Entry Name	SESN2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.