

Mouse anti-General Histamine Monoclonal Antibody

Monoclonal Antibody to Histamine (HA)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA20824	Mouse	General	ELISA, Immunohistochemistry, Immunocytochemistry, Immunoprecipitation

PRODUCT SYNONYMS

Histamine; Monoclonal Antibody; Monoclonal Antibody to Histamine (HA); anti-Histamine antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	General
Clonality	Monoclonal
Isotype	IgG2b Kappa
Clone Number	8-C2
Purity/Purification	Protein A + Protein G affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-Histamine antibody	ELISA, CLIA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), IP (Immunoprecipitation)
Application Notes	Immunohistochemistry: 5-20ug/mL Immunocytochemistry: 5-20ug/mL Optimal working dilutions must be determined by end user.
Source	Monoclonal antibody preparation
Traits	Liquid
Immunogen	Small Molecule, Histamine conjugated to BSA .
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



IHC (Immunohistochemistry)

Vector Red staining on IHC-P; Samples: Human Mast Cells of Colon Tissue; Primary Ab: 10ug/ml Mouse Anti-Human HA Antibody; Second Ab: 2ug/mL HRPLinked Caprine Anti-Mouse IgG Monoclonal Antibody

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/histamine-antibody-clone-8-c2-immunohistochemistry-immunocytochemistry-immunoprecipitation-elisa/20824>