

Rabbit Lactate Dehydrogenase A Polyclonal Antibody | anti-LDHA antibody

Polyclonal Antibody to Lactate Dehydrogenase A (LDHA)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA20855	Rabbit	Pig, Human, Mouse	Western Blot, Immunohistochemistry, Immunocytochemistry, Immunoprecipitation

PRODUCT SYNONYMS


Lactate Dehydrogenase A; Polyclonal Antibody; Polyclonal Antibody to Lactate Dehydrogenase A (LDHA); anti-LDHA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Pig, Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.28mg/mL (varies by lot)
Applicable Applications for anti-LDHA antibody	WB (Western Blot), IHC (Immunohistochemistry), ICC (Immunocytochemistry), IP (Immunoprecipitation)
Application Notes	Western blotting: 0.01-2ug/mL; Immunohistochemistry: 5-20ug/mL; Immunocytochemistry: 5-20ug/mL; Optimal working dilutions must be determined by end user.
Source	Polyclonal antibody preparation
Traits	Liquid
Cross Reactivity	Human; Mouse
Immunogen	Recombinant LDHA (Met1~Phe332) expressed in E.coli .
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Porcine Heart Tissue; Primary Ab: 20ug/ml Rabbit Anti-Porcine LDHA Antibody; Second Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Immunohistochemistry)




WB (Western Blot)
Western Blot; Sample: Recombinant protein.



WB (Western Blot)
Western Blot; Sample: A375 cell lysate; Primary Ab: 3ug/ml Rabbit Anti-Porcine LDHA Antibody; Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: Selected)



WB (Western Blot)
Western Blot; Sample: A431 cell lysate; Primary Ab: 3ug/ml Rabbit Anti-Porcine LDHA Antibody; Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: Selected)



WB (Western Blot)
Western Blot; Sample: Porcine Kidney lysate; Primary Ab: 3ug/ml Rabbit Anti-Porcine LDHA Antibody; Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: Selected)

NCBI AND UNIPROT INFORMATION

NCBI GI #	1170740
NCBI GeneID	407245
UniProt Accession #	P00339

NCBI Official Full Name	L-lactate dehydrogenase A chain
NCBI Official Symbol	LDHA
NCBI Official Synonym Symbols	LDH-A; LDH-M
NCBI Protein Information	L-lactate dehydrogenase A chain
UniProt Protein Name	L-lactate dehydrogenase A chain
UniProt Gene Name	LDHA
UniProt Synonym Gene Names	LDH-A; LDH-M

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/lactate-dehydrogenase-a-antibody-western-blot-immunohistochemistry-immunocytochemistry-immunoprecipitation-elisa/20855>