

Rabbit anti-Human UBAP2L/NICE4 Polyclonal Antibody | anti-UBAP2L/NICE4 antibody

Rabbit anti-UBAP2L/NICE4 Antibody, Affinity Purified


CATALOG # AAA211004	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunoprecipitation, Western Blot
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS


UBAP2L/NICE4; Polyclonal Antibody; Rabbit anti-UBAP2L/NICE4 Antibody; Affinity Purified; ubiquitin-associated protein 2-like; protein NICE-4; NICE4; NICE-4; Ubiquitin-associated protein 2-like; ubiquitin associated protein 2 like; anti-UBAP2L/NICE4 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
Concentration	1000ug/ml (varies by lot)
Applicable Applications for anti-UBAP2L/NICE4 antibody	IP (Immunoprecipitation), WB (Western Blot)
Predicted Reactivity	Mouse
Immunogen	Between 1037 and C-terminus
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt



WB (Western Blot)
Detection of human UBAP2L/NICE-4 by western blot. Samples: Whole cell lysate (10 ug) from HEK293T, HeLa, Jurkat, and K-562 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-UBAP2L/NICE-4 antibody (AAA211004 lot 2) used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



IP (Immunoprecipitation)
Detection of human UBAP2L/NICE-4 by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 10% of IP loaded) from HEK293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-UBAP2L/NICE-4 antibody (AAA211004 lot 2) used for IP at 6 ug per reaction. UBAP2L/NICE-4 was also immunoprecipitated by a previous lot of this antibody (AAA211004 lot 1) and a second antibody against a different epitope of UBAP2L/NICE-4. For blotting immunoprecipitated UBAP2L/NICE-4, AAA211004 was used at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 10 seconds.

ADDITIONAL INFORMATION

Related Product Information for anti-UBAP2L/NICE4 antibody	Ubiquitin associated protein 2-like (UBAP2L) has been identified as the predicted gene product of a coding sequence deduced by analysis of cDNAs from a human myeloid cell line. UBAP2L was also identified as a cDNA belonging to the epidermal differentiation complex (EDC) which comprises a large number of genes important to human epidermis maturation. A function of UBAP2L has not been assigned.
Product Categories/Family for anti-UBAP2L/NICE4 antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	188497758
NCBI GeneID	9898
NCBI Accession #	NP_055662.3
NCBI GenBank Nucleotide #	NM_014847.3
UniProt Accession #	Q14157; Q5VU75; Q5VU76; Q9BTU3; Q9UGL2; Q9UGL3; Q9UGL4; Q9UGL5; B4E0U8
Molecular Weight	116,640 Da
NCBI Official Full Name	ubiquitin-associated protein 2-like isoform a
NCBI Official Synonym Full Names	ubiquitin associated protein 2 like
NCBI Official Symbol	UBAP2L
NCBI Official Synonym Symbols	NICE4; NICE-4
NCBI Protein Information	ubiquitin-associated protein 2-like
UniProt Protein Name	Ubiquitin-associated protein 2-like
UniProt Gene Name	UBAP2L
UniProt Synonym Gene Names	KIAA0144; NICE4
UniProt Entry Name	UBP2L_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ubap2l-nice4-antibody-immunoprecipitation-western-blot-elisa/211004>