

Rabbit anti-Human, Mouse Matrin 3 Polyclonal Antibody | anti-Matrin3 antibody

Rabbit anti-Matrin 3 Antibody, Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA211039	Rabbit	Human, Mouse	Immunohistochemistry, Immunoprecipitation


PRODUCT SYNONYMS

Matrin 3; Polyclonal Antibody; Rabbit anti-Matrin 3 Antibody; Affinity Purified; matrin-3; vocal cord and pharyngeal weakness with distal myopathy; ALS21; VCPDM; MPD2; Matrin-3; matrin 3; anti-Matrin3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
Concentration	1000ug/ml (varies by lot)
Applicable Applications for anti-Matrin3 antibody	IHC (Immunohistochemistry), IP (Immunoprecipitation)
Predicted Reactivity	Rat
Immunogen	Between 475 and 525
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES



IP (Immunoprecipitation)

Detection of human Matrin 3 by western blot after immunoprecipitation. Samples: Whole cell lysate (1 mg for IP, 1/4 of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-Matrin 3 antibody BL2525 (Cat. No. AAA211039) used for IP at 3 ug/mg lysate. Matrin 3 was also immunoprecipitated using rabbit anti-Matrin 3 antibodies BL2524 and BL2526 (Cat. No. at 3 ug/mg lysate. Immunoprecipitated Matrin 3 was blotted using BL2526 at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 seconds.



IHC (Immunohistochemistry)

Detection of human and mouse Matrin 3 by immunohistochemistry. Sample: FFPE section of human laryngeal squamous cell carcinoma (left) and mouse squamous cell carcinoma (right). Antibody: Affinity purified rabbit anti-Matrin 3 (Cat. No. AAA211039 Lot1) used at a dilution of 1:1,000 (1ug/ml). Detection: DAB

ADDITIONAL INFORMATION

Related Product Information for anti-Matrin3 antibody	Matrin 3 is a nuclear matrix protein that has been observed to mediate multiple cellular processes. Matrin 3 can function to withhold defective RNAs within the nucleus by anchoring them to the nuclear matrix and modulate the promoter activity of genes proximal to matrix/scaffold attachment region (MAR/SAR). Matrin 3 has also been demonstrated to be the main PKA substrate following NMDA receptor activation in NMDA-induced neuronal cell death.
Product Categories/Family for anti-Matrin3 antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	21626466
NCBI GeneID	9782
NCBI Accession #	NP_061322.2
NCBI GenBank Nucleotide #	NM_018834.5
UniProt Accession #	P43243; Q9UHW0; Q9UQ27; B7ZAV5; D3DQC3
Molecular Weight	62,576 Da
NCBI Official Full Name	matrin-3 isoform a
NCBI Official Synonym Full Names	matrin 3
NCBI Official Symbol	MATR3
NCBI Official Synonym Symbols	MPD2; ALS21; VCPDM
NCBI Protein Information	matrin-3; vocal cord and pharyngeal weakness with distal myopathy
UniProt Protein Name	Matrin-3
UniProt Gene Name	MATR3
UniProt Synonym Gene Names	KIAA0723
UniProt Entry Name	MATR3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/matrin-3-antibody-immunohistochemistry-immunoprecipitation-elisa/211039>