

Rabbit anti-Human LPP Polyclonal Antibody | anti-LPP antibody

Rabbit anti-LPP Antibody, Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA211950	Rabbit	Human	Immunohistochemistry, Immunoprecipitation, Western Blot


PRODUCT SYNONYMS

LPP; Polyclonal Antibody; Rabbit anti-LPP Antibody; Affinity Purified; LIM protein; lipoma preferred partner; LIM domain-containing preferred translocation partner in lipoma; lipoma-preferred partner; Lipoma-preferred partner; LIM domain containing preferred translocation partner in lipoma; anti-LPP antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	200ug/ml (varies by lot)
Applicable Applications for anti-LPP antibody	IHC (Immunohistochemistry), IP (Immunoprecipitation), WB (Western Blot)
Immunogen	Between 75 and 125
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES



WB (Western Blot)

Detection of human LPP by western blot and immunoprecipitation. Samples: Whole cell lysate from HeLa (5, 15 and 50 ug for WB; 1 mg for IP, 20% of IP loaded) and HEK293T (T; 50 ug) cells. Antibodies: Affinity purified rabbit anti-LPP antibody AAA211950 used for WB at 0.04 ug/ml (A) and 0.4 ug/ml (B) and used for IP at 3 ug/mg lysate. LPP was also immunoprecipitated by rabbit anti-LPP antibody BL9595, which recognizes a downstream epitope. Detection: Chemiluminescence with exposure times of 3 minutes (A) and 30 seconds (B).



IHC (Immunohistochemistry)

Detection of human LPP by immunohistochemistry. Sample: FFPE section of human osteosarcoma. Antibody: Affinity purified rabbit anti-LPP (Cat. No. AAA211950 Lot1) used at a dilution of 1:200 (1ug/ml). Detection: DAB

ADDITIONAL INFORMATION

Related Product Information for anti-LPP antibody	Lipoma-preferred partner (LPP) may play a structural role at sites of cell adhesion in maintaining cell shape and motility. In addition to these structural functions, it may also be implicated in signaling events and activation of gene transcription. LPP is also suggested to serve as a scaffold protein upon which distinct protein complexes are assembled in the cytoplasm and in the nucleus [taken from the Universal Protein Resource (UniProt) www.uniprot.org/uniprot/Q93052].
Product Categories/Family for anti-LPP antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031887
NCBI GeneID	4026
NCBI Accession #	NP_005569.1
NCBI GenBank Nucleotide #	NM_005578.4
UniProt Accession #	Q93052; Q8NFX5; A1L4L6; D3DNV6
Molecular Weight	65,746 Da
NCBI Official Full Name	lipoma-preferred partner isoform a
NCBI Official Synonym Full Names	LIM domain containing preferred translocation partner in lipoma
NCBI Official Symbol	LPP
NCBI Protein Information	lipoma-preferred partner; LIM protein
UniProt Protein Name	Lipoma-preferred partner
UniProt Gene Name	LPP
UniProt Entry Name	LPP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/lpp-antibody-immunohistochemistry-immunoprecipitation-western-blot-elisa/211950>