

Rabbit anti-Human FAF1 Polyclonal Antibody | anti-FAF1 antibody

Rabbit anti-FAF1 Antibody, Affinity Purified


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA212028	Rabbit	Human	Immunohistochemistry, Immunoprecipitation

PRODUCT SYNONYMS

FAF1; Polyclonal Antibody; Rabbit anti-FAF1 Antibody; Affinity Purified; hFAF1; UBXN3A; UBXD12; UBX domain-containing protein 3A; UBX domain-containing protein 12; UBX domain protein 3A; HFAF1s; FAS-associated factor 1; Fas (TNFRSF6) associated factor 1; CGI-03; TNFRSF6-associated factor 1; Fas associated factor 1; anti-FAF1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
Concentration	1000ug/ml (varies by lot)
Applicable Applications for anti-FAF1 antibody	IHC (Immunohistochemistry), IP (Immunoprecipitation)
Predicted Reactivity	Mouse
Immunogen	Between 550 and 600
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt



IP (Immunoprecipitation)

Detection of human FAF1 by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-FAF1 antibody AAA212028 used for IP at 3 ug/mg lysate. FAF1 was also immunoprecipitated by rabbit anti-FAF1 antibody which recognizes an upstream epitope. For blotting immunoprecipitated FAF1, A310-810A was used at 1 ug/ml,. Detection: Chemiluminescence with an exposure time of 10 seconds.



IHC (Immunohistochemistry)

Detection of human FAF1 by immunohistochemistry. Sample: FFPE section of human ovarian carcinoma (left) and human colon carcinoma (right). Antibody: Affinity purified rabbit anti-FAF1 (Cat. No. AAA212028 Lot1) used at a dilution of 1:5,000 (0.2ug/ml) and 1:1,000 (1ug/ml). Detection: DAB

ADDITIONAL INFORMATION

Related Product Information for anti-FAF1 antibody	FAS-associated factor 1 (FAF1) binds to FAS antigen and can initiate apoptosis or enhance apoptosis initiated through FAS antigen. Initiation of apoptosis FAF1 requires a ubiquitin-like domain but not the FAS-binding domain [taken from NCBI Entrez Gene (Gene ID: 11124)].
Product Categories/Family for anti-FAF1 antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	5901948
NCBI GeneID	11124
NCBI Accession #	NP_008982.1
NCBI GenBank Nucleotide #	NM_007051.2
UniProt Accession #	Q9UNN5; Q9UF34; Q9UNT3; Q9Y2Z3
Molecular Weight	73,954 Da
NCBI Official Full Name	FAS-associated factor 1
NCBI Official Synonym Full Names	Fas (TNFRSF6) associated factor 1
NCBI Official Symbol	FAF1
NCBI Official Synonym Symbols	hFAF1; CGI-03; HFAF1s; UBXD12; UBXN3A; FLJ37524
NCBI Protein Information	FAS-associated factor 1; OTTHUMP00000009649; OTTHUMP00000009650; OTTHUMP00000009651; UBX domain protein 3A; TNFRSF6-associated factor 1; UBX domain-containing protein 12; UBX domain-containing protein 3A
UniProt Protein Name	FAS-associated factor 1
UniProt Gene Name	FAF1
UniProt Synonym Gene Names	UBXD12; UBXN3A; hFAF1
UniProt Entry Name	FAF1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/faf1-antibody-immunohistochemistry-immunoprecipitation-elisa/212028>