

Rabbit anti-Human, Mouse Lamin-A/C Polyclonal Antibody | anti-LMNA antibody

Rabbit anti-Lamin-A/C Antibody, Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA212163	Rabbit	Human, Mouse	Immunocytochemistry, Immunohistochemistry, Immunoprecipitation, Western Blot


PRODUCT SYNONYMS

Lamin-A/C; Polyclonal Antibody; Rabbit anti-Lamin-A/C Antibody; Affinity Purified; prelamin-A/C; LDP1; LGMD1B; LMN1; LMNC; LMNL1; lamin; mandibuloacral dysplasia type A; lamin A/C-like 1; PRO1; renal carcinoma antigen NY-REN-32; MADA; CDCD1; LFP; 70 kDa lamin; IDC; CDDC; CMD1A; CMT2B1; epididymis secretory sperm binding protein; FPL; FPLD; FPLD2; HGPS; EMD2; Prelamin-A/C; lamin A/C; anti-LMNA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	200ug/ml (varies by lot)
Applicable Applications for anti-LMNA antibody	ICC (Immunocytochemistry), IHC (Immunohistochemistry), IP (Immunoprecipitation), WB (Western Blot)
Predicted Reactivity	Pig
Immunogen	Between 1 and 50
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES





WB (Western Blot)

Detection of human Lamin-A and Lamin-C by western blot and immunoprecipitation. Samples: Whole cell lysate (15 and 50 ug for WB; 1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-Lamin-A/C antibody AAA212163 used for WB at 0.04 ug/ml (A) and 0.4 ug/ml (B) and used for IP at 6 ug/mg lysate. Lamin-A was also immunoprecipitated by rabbit anti-Lamin-A antibody which recognizes a downstream epitope. Detection: Chemiluminescence with exposure times of 1 second (A and B).



IHC (Immunohistochemistry)

Detection of mouse Lamin-A /C by immunohistochemistry. Sample: FFPE section of mouse teratoma. Antibody: Affinity purified rabbit anti-Lamin-A/C (Cat. No. AAA212163 Lot1) used at a dilution of 1:200 (1ug/ml). Detection: DAB



IHC (Immunohistochemistry)

Detection of human Lamin-A /C by immunohistochemistry. Samples: FFPE sections of human colon carcinoma. Antibody: Affinity purified rabbit anti-Lamin-A/C (Cat. No. AAA212163 Lot1) used at a dilution of 1:200 (1µg/ml) (left) and 1:1,000 (0.2µg/ml) (right). Detection: DAB

ICC (Immunocytochemistry)

Detection of human Lamin-A /C by immunocytochemistry. Samples: Formaldehyde-fixed asynchronous HeLa cells. Antibody: Affinity purified rabbit anti-Lamin-A/C (Cat. No. AAA212163 Lot1) used at a dilution of 1:200 (1µg/ml). Detection: Red-fluorescent goat anti-rabbit IgG-heavy and light chain cross-adsorbed Antibody DyLight 594 Conjugated used at a dilution of 1:100.

ADDITIONAL INFORMATION

Related Product Information for anti-LMNA antibody	Lamins are components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane, which is thought to provide a framework for the nuclear envelope and may also interact with chromatin. Lamin A and C are present in equal amounts in the lamina of mammals. Lamin A/C plays an important role in nuclear assembly, chromatin organization, nuclear membrane and telomere dynamics [taken from the Universal Protein Resource (UniProt) www.uniprot.org/uniprot/P02545].
Product Categories/Family for anti-LMNA antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031875
NCBI GeneID	4000
NCBI Accession #	NP_005563.1
NCBI GenBank Nucleotide #	NM_005572.3
UniProt Accession #	P02545 ; P02546 ; Q5I6Y4 ; Q5I6Y6 ; Q5TCJ2 ; Q5TCJ3 ; Q6UYC3 ; Q969I8 ; B4DI32 ; D3DVB0 ; D6RAQ3 ; E7EUI9
Molecular Weight	69,249 Da
NCBI Official Full Name	lamin isoform C
NCBI Official Synonym Full Names	lamin A/C
NCBI Official Symbol	LMNA
NCBI Official Synonym Symbols	FPL; IDC; LFP; CDDC; EMD2; FPLD; HGPS; LDP1; LMN1; LMNC; PRO1; CDCD1; CMD1A; FPLD2; LMNL1; CMT2B1; LGMD1B
NCBI Protein Information	lamin; 70 kDa lamin; prelamin-A/C; lamin A/C-like 1; renal carcinoma antigen NY-REN-32
UniProt Protein Name	Prelamin-A/C
UniProt Gene Name	LMNA
UniProt Synonym Gene Names	LMN1
UniProt Entry Name	LMNA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/lamin-a-c-antibody-immunocytochemistry-immunohistochemistry-immunoprecipitation-western-blot-elisa/212163>