

Goat anti-Human, Mouse RNA Polymerase II Polyclonal Antibody | anti-POLR2A antibody

Goat anti-RNA Polymerase II Antibody, Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA212304	Goat	Human, Mouse	Immunoprecipitation, Western Blot


PRODUCT SYNONYMS

RNA Polymerase II; Polyclonal Antibody; Goat anti-RNA Polymerase II Antibody; Affinity Purified; RPBh1; RPOL2; RplILS; RPB1; RNA-directed RNA polymerase II subunit RPB1; RNA polymerase II subunit B1; polymerase (RNA) II subunit A; polymerase (RNA) II (DNA directed) polypeptide A; 220kDa; POLR2; hsrPB1; hRPB220; DNA-directed RNA polymerase III largest subunit; DNA-directed RNA polymerase II subunit RPB1; DNA-directed RNA polymerase II subunit A; DNA-directed RNA polymerase II largest subunit; RNA polymerase II 220 kd subunit; POLRA; RPO2; RNA polymerase II subunit A; anti-POLR2A antibody

PRODUCT SPECIFICATIONS


Host	Goat
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
Concentration	1000ug/ml (varies by lot)
Applicable Applications for anti-POLR2A antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	Between 1600 and 1650
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES




WB (Western Blot)

Detection of human RNA Polymerase II by western blot. Samples: Whole cell lysate from HEK293T (15 and 50 ug), HeLa (H; 50 ug), and Jurkat (J; 50 ug) cells. Antibodies: Affinity purified goat anti-RNA Polymerase II antibody AAA212304 (lot AAA212304-1) used for WB at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



WB (Western Blot)

Detection of mouse RNA Polymerase II by western blot. Samples: Whole cell lysate (15 and 50 ug) from NIH 3T3 cells. Antibodies: Affinity purified goat anti-RNA Polymerase II antibody AAA212304 (lot AAA212304-1) used for WB at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



IP (Immunoprecipitation)
 Detection of human RNA Polymerase II by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP; 20% of IP loaded) from HEK293T cells. Antibodies: Affinity purified goat anti-RNA Polymerase II antibody AAA212304 (lot AAA212304-1) used for IP at 6 ug/mg lysate. For blotting immunoprecipitated RNA Polymerase II, AAA212304 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.

ADDITIONAL INFORMATION

Related Product Information for anti-POLR2A antibody	RNA polymerase II is a DNA-dependent RNA polymerase that catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphates as substrates. RNA polymerase II subunit B1 (RPB1) is the largest and catalytic component of RNA polymerase II which synthesizes mRNA precursors and many functional non-coding RNAs. It forms the polymerase active center together with the second largest subunit [taken from NCBI Entrez Gene (Gene ID: 5430)].
Product Categories/Family for anti-POLR2A antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	4505939
NCBI GeneID	5430
NCBI Accession #	NP_000928.1
NCBI GenBank Nucleotide #	NM_000937.4
UniProt Accession #	P24928; A6NN93; B9EH88
Molecular Weight	217,176 Da
NCBI Official Full Name	DNA-directed RNA polymerase II subunit RPB1
NCBI Official Synonym Full Names	polymerase (RNA) II (DNA directed) polypeptide A, 220kDa
NCBI Official Symbol	POLR2A
NCBI Official Synonym Symbols	RPB1; RPO2; POLR2; POLRA; RPBh1; RPOL2; RplILS; hsRPB1; hRPB220
NCBI Protein Information	DNA-directed RNA polymerase II subunit RPB1; RNA polymerase II subunit B1; DNA-directed RNA polymerase II subunit A; RNA-directed RNA polymerase II subunit RPB1; DNA-directed RNA polymerase III largest subunit; DNA-directed RNA polymerase II largest subun
UniProt Protein Name	DNA-directed RNA polymerase II subunit RPB1
UniProt Gene Name	POLR2A
UniProt Synonym Gene Names	POLR2; RNA polymerase II subunit B1
UniProt Entry Name	RPB1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/rna-polymerase-ii-antibody-immunoprecipitation-western-blot-elisa/212304>