

Rabbit anti-Human, Mouse Nucleolin (NCL) Polyclonal Antibody | anti-NCL antibody

Rabbit anti-Nucleolin (NCL) IHC Antibody, Affinity Purified

CATALOG # AAA213781	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	-----------------------------------	---


PRODUCT SYNONYMS

Nucleolin (NCL); Polyclonal Antibody; Rabbit anti-Nucleolin (NCL) IHC Antibody; Affinity Purified; Nucleolin/NCL; C23; Protein C23; Nsr1; nucleolin; Nucleolin; anti-NCL antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	50ug/ml (varies by lot)
Applicable Applications for anti-NCL antibody	IHC (Immunohistochemistry)
Predicted Reactivity	Rat, Bovine, Dog, Horse, Rabbit, Pig, Panda, Orangutan, Monkey, Gorilla, Chimpanzee, Green monkey, White-tufted-ear marmoset, African elephant, Crab-eating macaque, Naked mole rat, Northern white-cheeked gibbon, Small-eared galago
Immunogen	Between 660 and C-terminus
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES



IHC (Immunohistochemistry)

Detection of mouse Nucleolin by immunohistochemistry. Sample: FFPE section of mouse squamous cell carcinoma. Antibody: Affinity purified rabbit anti-Nucleolin (Cat. No. AAA213781) used at a dilution of 1:250. Detection: DAB



IHC (Immunohistochemistry)

Detection of human Nucleolin by immunohistochemistry. Sample: FFPE section of human stomach adenocarcinoma. Antibody: Affinity purified rabbit anti-Nucleolin (Cat. No. AAA213781) used at a dilution of 1:250. Detection: DAB staining using anti-rabbit IHC antibody (Cat. No. at a dilution of 1:100.

ADDITIONAL INFORMATION

Related Product Information for anti-NCL antibody	Nucleolin (NCL) is a major nucleolar phosphoprotein that is involved in pre-RNA transcription and the synthesis and maturation of ribosomes. NCL can bind to histone H1 to induce chromatin condensation and may play an additional role in transcriptional elongation.
Product Categories/Family for anti-NCL antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	55956788
NCBI GeneID	4691
NCBI Accession #	NP_005372.2
NCBI GenBank Nucleotide #	NM_005381.2
UniProt Accession #	P19338; Q53SK1; Q8NB06; Q9UCF0; Q9UDG1
Molecular Weight	76,614 Da
NCBI Official Full Name	nucleolin
NCBI Official Synonym Full Names	nucleolin
NCBI Official Symbol	NCL
NCBI Official Synonym Symbols	C23
NCBI Protein Information	nucleolin
UniProt Protein Name	Nucleolin
UniProt Gene Name	NCL
UniProt Entry Name	NUCL_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/nucleolin-ncl-antibody-immunohistochemistry-elisa/213781>