

Rabbit anti-Human Pericentrin/Kendrin Polyclonal Antibody | anti-PCNT antibody

Rabbit anti-Pericentrin/Kendrin IHC Antibody, affinity purified

CATALOG # AAA213906	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunocytochemistry
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

Pericentrin/Kendrin; Polyclonal Antibody; Rabbit anti-Pericentrin/Kendrin IHC Antibody; affinity purified; pericentrin; PCTN2; SCKL4; pericentrin-B; pericentrin-380; KEN; PCNT2; PCN; MOPD2; kendrin; pericentrin-2; PCNTB; Pericentrin; anti-PCNT antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	100ug/ml (varies by lot)
Applicable Applications for anti-PCNT antibody	ICC (Immunocytochemistry)
Immunogen	Between 175 and 225
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES




ICC (Immunocytochemistry)

Detection of human Pericentrin/Kendrin by immunocytochemistry. Sample: NBF-fixed asynchronous HeLa cells. Antibody: Affinity purified rabbit anti-Pericentrin/Kendrin (Cat. No. AAA213906) used at a dilution of 1:100. Detection: Red-fluorescent Alexa Fluor 594 goat anti-rabbit IgG (Invitrogen).




ICC (Immunocytochemistry)

Detection of human Pericentrin/Kendrin by immunocytochemistry. Sample: NBF-fixed asynchronous HeLa cells. Antibody: Affinity purified rabbit anti-Pericentrin/Kendrin (Cat. No. AAA213906) used at a dilution of 1:500. Detection: Red-fluorescent Alexa Fluor 594 goat anti-rabbit IgG (Invitrogen).




ICC (Immunocytochemistry)

Detection of human Pericentrin/Kendrin by immunocytochemistry. Sample: Acetone-fixed asynchronous HeLa cells. Antibody: Affinity purified rabbit anti-Pericentrin/Kendrin (Cat. No. AAA213906) used at a dilution of 1:100. Detection: Red-fluorescent Alexa Fluor 594 goat anti-rabbit IgG (Invitrogen).



ICC (Immunocytochemistry)

Detection of human Pericentrin/Kendrin by immunocytochemistry. Sample: NBF-fixed asynchronous HeLa cells. Antibody: Affinity purified rabbit anti-Pericentrin/Kendrin (Cat. No. AAA213906) used at a dilution of 1:500. Detection: Red-fluorescent Alexa Fluor 594 goat anti-rabbit IgG (Invitrogen).



ICC (Immunocytochemistry)

Detection of human Pericentrin/Kendrin by immunocytochemistry. Sample: NBF-fixed asynchronous HeLa cells. Antibody: Affinity purified rabbit anti-Pericentrin/Kendrin (AAA213906). Secondary: Red-fluorescent Dylight 594 goat anti-rabbit IgG .

ADDITIONAL INFORMATION

Related Product Information for anti-PCNT antibody	Pericentrin (PCNT) is a large centrosomal protein that binds calmodulin and mediates assembly of the mitotic spindle apparatus. Depletion of PCNT has been shown to cause apoptosis and activation of the G2/M checkpoint. Recently, mutations in the pericentrin gene have been identified as the cause of primordial dwarfism type II (MOPDII) and Seckel syndrome. Additionally, in cells of Seckel syndrome patients, PCNT has been found to be important to the DNA damage response and ATR-dependent checkpoint signaling.
Product Categories/Family for anti-PCNT antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	81295809
NCBI GeneID	5116
NCBI Accession #	NP_006022.3
NCBI GenBank Nucleotide #	NM_006031.5
UniProt Accession #	O95613 ; O43152 ; Q7Z7C9
Molecular Weight	378,037 Da
NCBI Official Full Name	pericentrin
NCBI Official Synonym Full Names	pericentrin
NCBI Official Symbol	PCNT

NCBI Official Synonym Symbols	KEN; PCN; MOPD2; PCNT2; PCNTB; PCTN2; SCKL4
NCBI Protein Information	pericentrin; kendrin; pericentrin B; pericentrin-2; pericentrin-B; pericentrin-380
UniProt Protein Name	Pericentrin
UniProt Gene Name	PCNT
UniProt Synonym Gene Names	KIAA0402; PCNT2
UniProt Entry Name	PCNT_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/pericentrin-kendrin-antibody-immunocytochemistry-elisa/213906>