

Rabbit anti-Human WTAP Polyclonal Antibody | anti-WTAP antibody

Rabbit anti-WTAP IHC Antibody, Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA213979	Rabbit	Human	Immunohistochemistry, Immunohistochemistry


PRODUCT SYNONYMS

WTAP; Polyclonal Antibody; Rabbit anti-WTAP IHC Antibody; Affinity Purified; wilms tumor 1-associating protein; Wilms' tumour 1-associating protein; Wilms tumor 1 associated protein; putative pre-mRNA splicing regulator female-lethal(2D); PNAS-132; Mum2; hFL(2)D; female-lethal(2)D homolog; pre-mRNA-splicing regulator WTAP; WT1-associated protein; Pre-mRNA-splicing regulator WTAP; WT1 associated protein; anti-WTAP antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	250ug/ml (varies by lot)
Applicable Applications for anti-WTAP antibody	IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Predicted Reactivity	X. laevis, X. tropicalis, Bovine, Horse, Pig, Panda, Orangutan, Monkey, Gorilla, Chimpanzee, White-tufted-ear marmoset, Crab-eating macaque, Thirteen-lined ground squirrel, Naked mole rat, Little brown bat, Small-eared galago, Gray short-tailed opossum, Chinese hamster, African elephant, Northern white-cheeked gibbon, Tasmanian devil
Immunogen	Between 346 and C-terminus
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt


IMAGES



IHC (Immunohistochemistry)
Detection of human WTAP by immunohistochemistry. Sample: FFPE section of human breast carcinoma. Antibody: Affinity purified rabbit anti-WTAP (Cat. No. AAA213979) used at a dilution of 1:100. Detection: Red-fluorescent goat anti-rabbit IgG highly cross-adsorbed Antibody used at a dilution of 1:100.



IHC (Immunohistochemistry)
Detection of human WTAP by immunohistochemistry. Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-WTAP (Cat. No. AAA213979) used at a dilution of 1:250. Detection: DAB



IHC (Immunohistochemistry)
Detection of human WTAP by immunohistochemistry. Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-WTAP (Cat. No. AAA213979) used at a dilution of 1:250. Detection: DAB

ADDITIONAL INFORMATION

Related Product Information for anti-WTAP antibody	Wilms' tumor 1 associated protein (WTAP) is a protein found to associate with the Wilms' tumor suppressor (WT1). WTAP appears to play a role in cell proliferation and regulation of the G2/M transition. WTAP has been suggested to influence these processes via a function in mRNA stabilization and mRNA splicing.
Product Categories/Family for anti-WTAP antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	21361159
NCBI GeneID	9589
NCBI Accession #	NP_004897.2
NCBI GenBank Nucleotide #	NM_004906.4
UniProt Accession #	Q15007; Q5TCL8; Q5TCL9; Q96T28; Q9BYJ7; Q9H4E2
Molecular Weight	17,801 Da
NCBI Official Full Name	pre-mRNA-splicing regulator WTAP isoform 1
NCBI Official Synonym Full Names	Wilms tumor 1 associated protein

NCBI Official Symbol	WTAP
NCBI Official Synonym Symbols	Mum2
NCBI Protein Information	pre-mRNA-splicing regulator WTAP
UniProt Protein Name	Pre-mRNA-splicing regulator WTAP
UniProt Gene Name	WTAP
UniProt Synonym Gene Names	KIAA0105; hFL(2)D
UniProt Entry Name	FL2D_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/wtap-antibody-immunohistochemistry-immunohistochemistry-elisa/213979>