

Rabbit MMP3 Monoclonal Antibody | anti-MMP3 antibody

MMP3

CATALOG # AAA214449	HOST Rabbit	REACTIVITY Human. Others not tested.	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	--	---

PRODUCT SYNONYMS

MMP3; Monoclonal Antibody; CHDS6; Matrix metalloproteinase 3; Matrix metalloproteinase-3; MGC126102; MGC126103; MGC126104; MMP 3; MMP-3; Proteoglycanase; SL-1; SL1; STMY; STMY1; STR1; Stromelysin 1; Stromelysin-1; Transin 1; anti-MMP3 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human. Others not tested.
Clonality	Monoclonal
Isotype	IgG
Clone Number	MMP3/1994R
Specificity	The matrix metalloproteinases (MMP) are a family of peptidase enzymes responsible for the degradation of extracellular matrix components, including collagen, gelatin, fibronectin, laminin and proteoglycan. Transcription of MMP genes is differentially activated by phorbol ester, lipopolysaccharide (LPS) or staphylococcal enterotoxin B (SEB). MMP catalysis requires both calcium and zinc. MMP-3, MMP-10 and MMP-11 (also designated stromelysin-1, 2 and 3, respectively) activate procollagenase. MMP-3 activation of procollagenase can occur via two pathways. Direct activation by MMP-3 is slow and activation by MMP-3 in conjunction with tissue or plasma proteinases is rapid. MMP-10 is expressed in small intestine, and at lower levels in lung and heart. MMP-11 is specifically expressed in stromal cells of breast carcinomas and contributes to epithelial cell malignancies.
Form/Format	200ug/ml of Ab purified by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	477
Applicable Applications for anti-MMP3 antibody	IHC (Immunohistochemistry)
Immunogen	Recombinant fragment of human MMP3 protein (around aa 317-327)
Cellular Localization	Cytoplasm, extracellular matrix.
Hu-chromosome Location	11q22.2
Positive Control	Human prostate or lung tissue. A-431 cells.
Preparation and Storage	Antibody with azide - store at 2 to 8 degree C. Antibody without azide - store at -20 to -80 degree C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

IMAGES



SDS-PAGE
SDS-PAGE Analysis of Purified MMP3 Rabbit Recombinant Monoclonal Antibody (MMP3/1994R).



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human spleen stained with MMP3 Rabbit Recombinant Monoclonal Antibody (MMP3/1994R).

ADDITIONAL INFORMATION

References	Shur, S.A., et al. 1983. The role of cysteinyl residues in the phosphorylase kinase activity as revealed by iodacetamide modification. Biochem. Int. 7: 197-206
------------	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4505217
NCBI GeneID	4314
NCBI Accession #	NP_002413.1
NCBI GenBank Nucleotide #	NM_002422.4
UniProt Accession #	P08254; Q3B7S0; Q6GRF8; B2R8B8
Molecular Weight	57kDa
NCBI Official Full Name	stromelysin-1 preproprotein
NCBI Official Synonym Full Names	matrix metallopeptidase 3
NCBI Official Symbol	MMP3
NCBI Official Synonym Symbols	SL-1; STMY; STR1; CHDS6; MMP-3; STMY1
NCBI Protein Information	stromelysin-1
UniProt Protein Name	Stromelysin-1
UniProt Gene Name	MMP3
UniProt Synonym Gene Names	STMY1; SL-1; MMP-3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/mmp3-antibody-clone-mmp3-1994r-immunohistochemistry-elisa/214449>