

Mouse HER-2/c-erbB-2/neu/CD340 Monoclonal Antibody | anti-HER-2 antibody

HER-2/c-erbB-2/neu/CD340


CATALOG # AAA214644	HOST Mouse	REACTIVITY Human. Others not known.	APPLICATIONS Immunohistochemistry
-------------------------------	----------------------	---	---

PRODUCT SYNONYMS

HER-2/c-erbB-2/neu/CD340; Monoclonal Antibody; p185; CD340; Verb b2 Erythroblastic Leukemia Viral Oncogene Homolog 2; Neuro/Glioblastoma Derived Oncogene Homolog; anti-HER-2 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human. Others not known.
Clonality	Monoclonal
Isotype	IgG2a, kappa
Clone Number	ERBB2/2453
Specificity	Recognizes a protein of 185kDa, which is identified as c-erbB-2/HER-2/neu. Its epitope is localized in the extracellular domain. C-erbB-2/HER-2 is a member of the EGFR family. This MAb is specific and shows minimal cross-reaction with other members of the EGFR-family. Receptors of this family are located on the plasma membrane and consist of an extracellular ligand-binding domain that is connected to a large intracellular domain by a single transmembrane sequence. c-erbB-2/HER-2 protein is over-expressed in a variety of carcinomas especially those of breast and ovary.
Form/Format	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Applicable Applications for anti-HER-2 antibody	IHC (Immunohistochemistry)
Immunogen	Recombinant human HER-2 protein fragment (around aa 311-462)
Cellular Localization	Cell Surface
Hu-chromosome Location	17q12
Positive Control	SKBR-3 Cells or Breast Cancers.




Application Data

Analysis of Protein Array containing more than 19, 000 full-length human proteins using HER-2 Mouse Monoclonal Antibody (ERBB2/2453). Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.



SDS-PAGE

SDS-PAGE Analysis HER-2 Mouse Monoclonal Antibody (ERBB2/2453).Confirmation of Purity and Integrity of Antibody.



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded Human Breast Carcinoma stained with HER-2 Mouse Monoclonal Antibody (ERBB2/2453).

ADDITIONAL INFORMATION

References

1. Utrilla JC, et al. Histopathology. 34: 60-65 (1999). Wright C, et al. British Journal of Cancer. 65: 118-121 (1992). Corbett IP, et al. Journal of Pathology. 161: 15-25 (1990).

NCBI AND UNIPROT INFORMATION

NCBI GeneID	446352; 2064
Molecular Weight	185kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.